Scout Report sent gu Noted in the NID File Location map pinned Approval of Disapproval Letter Date Completed, P. & A. or operations suspended Pin changed on location map Affidavit and Record of A & P Water Shut-Off Test Gas-Oil Ratio Test Well Log Filed A 9-12-62, This week is classified and water injection will a is taited injecting as of Speel, 1962

FILE NOTATIONS		
Entered in NID File	Checked by Chief	
Entered On S R Sheet	Copy HID to Field Office	
Location Map Planed	Amerit Leiler	
Card indexed	Dargeword Little	*****
IW & For State or Fire Land		
COMMENSM TO ME	* · · · · · · · · · · · · · · · · · · ·	
Day Way 200 1-31-58	Consting transmit	****************
OVI V. V. V	Box 4 + 1x + 1	
CW C3	Select Face Land	*************
£27 5	מו מו	
Dell's Log 4-2-58		
Hactric Logs (No.)		
E [-1	GR-N	Micro
Lat Mi-L Son	ic Others To	Goactino

(A)	(April 1952)			
			,	
	đ			

(SUBMIT IN TRIPLICATE)

Indian Agency Navajo Contract No. I-149-Ind-8838


UNITED STATES

Allott	00	

	D	EPARTMEN	NT OF THE	INTERIC	OR Allo	ttee	
	Lease No	GEOL 1 4602 8	LOGICAL SUI	RVEY	Loas	se No	
SUN	DRY N	OTICES	AND RE	PORTS	ON W	/ELLS	
NOTICE OF INTENTION TO	D DRILL		SUBSEQUE	ENT REPORT OF	WATER SHUT-	OFF	
NOTICE OF INTENTION TO	CHANGE PLANS	S	SUBSEQUE	ENT REPORT OF	SHOOTING OR	ACIDIZING	
NOTICE OF INTENTION TO	TEST WATER S	SHUT-OFF	SUBSEQUI	ENT REPORT OF	ALTERING CA	SING	-
NOTICE OF INTENTION TO	REDRILL OR R	REPAIR WELL	SUBSEQUI	ENT REPORT OF	REDRILLING (OR REPAIR	-
NOTICE OF INTENTION TO	SHOOT OR ACI	DIZE	SUBSEQUI	ENT REPORT OF	ABANDONMEN	IT	-
NOTICE OF INTENTION TO	PULL OR ALTE	R CASING	SUPPLEMI	ENTARY WELL HI	STORY		
NOTICE OF INTENTION TO	ABANDON WEL	L					-
		OVE BY CHECK MA	DK MATURE OF DEE	ORT. NOTICE. OR	OTHER DATA		-(
Navajo "C"	·		Fort Wor	th, Texa	la, Nov	rember 13, 19	•
Navajo "C" Vell No. 16 E/4 NW/4. Sec. (14 Sec. and Sec. No.	is locate	d 1980 ft. 1	Fort Wor	th, Texa	It. from		•
Vell No. 16 E/4 NW/4, Sec (14 Sec. and Sec. No Aneth	is locate	d 1980ft. 1 40–s (Twp.) San Juan	Fort Worfrom $\begin{bmatrix} N \\ \mathbf{z}^* \end{bmatrix}$ line $\begin{bmatrix} 24 - \mathbf{E} \\ \text{(Range)} \end{bmatrix}$	and 1980	At. from {	Wiline of sec.	•
Vell No. 16 E/4 NW/4 Sec. No. (14 Sec. and Sec. No.	is locate	d 1980ft. 1 40–s (Twp.) San Juan	from N line	and 1980	At. from {	line of sec	•
Vell No. 16 E/4 NW/4, Sec (14 Sec. and Sec. No Aneth	is locate	d 1980ft. 1 40-s (Twp.) San Juai (Cour	from N line (Range) A ty or Subdivision)	and 1980	At. from {	Wiline of sec.	•
Vell No. 16 E/4 NW/4, Sec (14 Sec. and Sec. No Aneth (Field)	is locate	40-s (Twp.) San Juan (Cour	from N line (Range) A ty or Subdivision)	and 1980 SIM (Me) 5. ft.	At. from {	Wiline of sec.	•
Vell No. 16 E/4 NW/4, Sec (14 Sec. and Sec. No Aneth (Field)	is locate	d 1980ft. 1 40-S (Twp.) San Juan (Court or above sea	from N line 24-E (Range) n aty or Subdivision) level is 487	and 1980 SIM (Me) 5. ft.	At. from { ridian) Utah (Sta	Wiline of sec	24
Vell No. 16 E/4 NW/4 Sec. (14 Sec. and Sec. No Aneth (Field) The elevation of the	is locate 2. 24 c derrick flo	d 1980ft. 1 40-S (Twp.) San Juai (Cour.) or above sea DET. dective sands; showing points, and a	from N line 24-E (Range) n aty or Subdivision) level is 487	and 1980 SIM (Me) 5. ft.	At. from { ridian) Utah (Sta	Wiline of sec	24
Vell No. 16 E/4 NW/4, Sec. (1/4 Sec. and Sec. No Aneth (Field) The elevation of the State names of and expected	is locate 2. 24 c derrick flo	d 1980ft. d 40-S (Twp.) San Juan (Court or above sea DET. dective sands; show ing points, and a SIZE (from N line 24-E (Range) Atty or Subdivision) level is 487 AILS OF Working Subdivision atty of Subdivision	and 1980 SIM (Me) 5. ft. ORK	At. from { ridian) Utah (Sta	line of sec	24
Vell No. 16 E/4 NW/4, Sec. (14 Sec. and Sec. No Aneth (Field) The elevation of the State names of and expected	is locate 2. 24 c derrick flo	d 1980ft. 1 40-S (Twp.) San Juan (Court or above sea DET. dective sands; show ing points, and a SIZE (8-5/8#	from [N] line 24-E (Range) Atty or Subdivision) level is 487 AILS OF Work of the size of	and 1980 SIM (Me) 5. ft. ORK	It. from { ridian) Utah (Sta	te or Territory) CASING PRO	24 coment-
Vell No. 16 E/4 NW/4, Sec. (14 Sec. and Sec. No Aneth (Field) The elevation of the State names of and expected	is locate 2. 24 derrick flo	d 1980ft. 1 40-S (Twp.) San Juan (Court or above sea DET. dective sands; show ing points, and a SIZE (8-5/8#	from N line 24-E (Range) Atty or Subdivision) level is 487 AILS OF Wo	and 1980 SIM (Me) 5. ft. ORK	It. from { ridian) Utah (Sta	te or Territory) CASING PROSet at	24 Cement- CGRAM(A

OBJECTIVE FORMATION		SIZE CASING		CASING PROGRAM(Appro			
		8-5/8 ^H 5-1/2 ^H	1500' (5500')	24.0# 14.0#	New New	Set at 1500'	Cement 1000 sx.
Top of Aneth	5730'	5-1/2" 5-1/2"	(5500') (430')	15.5#	New	59301	500 sx.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company
P. 0. Box 1720
Address Fort Worth 1. Texas THE TEXAS COMPANY Title Division Civil Engineer amm



SAN JUAN COUNTY, UTAH

Scale: 1"= 2000"

This is to certify that the courses, distances and objects reflected on the plat to which this contificate is affixed were observed and compiled under my supervision and, according to my best knowledge and belief, are true and correct.

17

Division Civil Engineer
The Texas Company
Registered Professional Engineer - State of Texas

November 18, 1957

AIR MAIL

THe Texas Company P. O. Box 1720 Fort Worth 1, Texas

Attention: J. J. Velten, Division Civil Engineer

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo C-16, which is to be located 1980 feet from the north line and 1980 feet from the west line of Section 24, Township 40 South, Range 24 East, SIBM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT SECRETARY

CBF: en

cc: Phil McGrath

USGS, Farmington,

New Mexico

DR - USGS

	(April 1952)				
`		•			
	,	· ·			

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Indian Agency	Havajo	
	Tribal	
Allottee		

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS.	31
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT.
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY.
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Tribe "C"	•	М	arch 12	, 19 <u>.58</u>
Well No. 16 is locat	ed 1980 ft.	from ${N \brack {f x}}$ line an	d 1980 ft. from W	line of sec. 24
Not of Sec. 24 (4 Sec. and Sec. No.)		24-8 (Range)	S1M (Meridian)	
Aneth (Field)		n Juan		cah or Territory)
(=)	(552		, , , , , , , , , , , , , , , , , , , ,	,

The elevation of the derrick floor above sea level is ...4875 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 8:30 P.M., December 30, 1957.

Drilled 11" hole to 1497' and cemented 1486' of 8-5/8" casing at 1497' with 1050 sacks of cement. Cement circulated. Tested casing with 800 # pressure for 30 minutes. Tested OK.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.				
Company.	The Texas Company	·····		
Address	P.O.Box 817	the state of the s		
	Farmington, New Mexico	By Jagur		
		Title District Superintendent		
	U. S. GOVERNMENT PRINTING OFFICE	16—8487b—8		

(April 1952)			
. `	•		

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

,	Indian Agency	Navajo
	***************************************	Tribal
,	Allottee	

.... No. Im149-IND-8638

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

19 58
, , , , , , , , , , , , , , , , , , , ,
sec24
)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 6-3/4" hole to 5909' and cemented 5898' of 4-1/2" O.D. casing at 5909' with 250 sacks of cement. Top of cement 5879'. Tested casing with 1000# pressure for 30 minutes. TestedOK.

Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Texas Company

Address Box 817


Farmington, New Mexico

By

Title District Superintendent

3udget Bureau No. 42-R355.4. Approval expires 12-31-60.

Form 9-330



U. S. LAND OFFICE Navajo Tribal LEASE OR PERMIT TO PROSPECT

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

LOC	ATE WELL	CORRECTLY		LO	G OF O	OIL OR G	AS WE	LL
Compa	ny The	Texas Co	ompany		Address	Box 817,	Farmingto	n. N. M.
Lessor	or Tract ₋	Navajo	Tribe	"C"	Field	Aneth	State	Utah
Well N	o. 16	Sec. 24	_r 40-s _R 2	4-E _{Mei}	ridian SLA		inty San J	Nan
Locatio	n 1980	ft. S of N	Line an	$_{ m d}$ 198 ${ m Q}_{ m t}$. {E. } of W	Line of Sect	ion 24 _F	Elevation 4875
		()			(' ' ')			ork done thereon
		determined fi		., 17	1	r ing		
.	Mana	h 21 104	Ξ Ω		igned	,		Sup't.
		h 31, 19			£ 4111			360-0-
			_			at above date.	Tamesau. 3	0 10 58
Comme	enced drill	ing				ed drilling	January1	. 9 , 19.29
			OII		AS SANDS Of Denote gas by G	R ZONES		
No. 1.	from	5714	. to58	,		from	to	
•								
					•			
110. 0,					NT WATER	SANDS	i	
No. 1	from]	None				from	to	
-					•			
110. 2,	110111		00		SING RECOR			
Size	Weight.	Threads per					Perforated	Purpose
casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe		From— T	rurpose
3-5/8	24	8r	Smla			None		
13/3	9.5	SR SR	Smls	5740 158		None None		
	2.30 2.50	egra och es	to are 2	0,4%.			1	f + 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
				23463-3	44 4 4 4 4 4 4 4 4 4	<u> </u>		in the De Notice
			MUDD	ING AN	D CEMENTI	NG RECORD		
Size	<u> </u>							
casing	Where se	et Num!	ber sacks of ce	ment	Method used	Mud gravity	Amoun	nt of mud used
8-5/8	149	* 1	1050		ialliburt	i i		
4-1/2	590	لا	250		lallib urt	91 1		
				DI LICO	AND ANCE			
Heavir	ng plug—I	Material	None	PLUGS	AND ADAP Length		Donth got	
	ers-Mate		None					
z wp 00	111000		4174465	SHOO	OTING RECO	AA		

1/2	5909	2	50	Hallibu	r ton			
TT		1		S AND AI			41 4	
			· -			De		
Adapte	rs—Material	N	į.	•				
			SHC	OTING R	ECORD	<u> </u>		
Size	Shell us	sed Exp	osive used	Quantity	Date	Depth shot	Depth o	cleaned o
Non	9			***************************************		-	-	
			1		-	-		
				TOOLS US	ED	-		
Rotary	tools were u	sed from				, and from	feet	to
						, and from		
Cable	oois were use	u 110m	None	DATES		, wild Holli	, 1000	00
		^-	19			ducingTest		
 Тh	e production	31 for the first	24 hours was			f fluid of which		
			į.		ourrols o			
			% sediment.		-	Gravity, °Bé.	-	
			-		lons gas	oline per 1,000	cu. ft. of gas	3
Ro	ck pressure,	lbs. per sq. ii	i					
	1	Y v		EMPLOYE	EES			
0.	H. Dave	nport	, Driller			Clenn Mit		
Fr	eeman Sm	ith	Driller					
	<u> </u>		FOR	MATION F	RECORI)		
FRO)M	то-	TOTAL FEE	ET		FORMA	ATION	,
					•			•
	0	40	40	Sa	ınd. S	hells & An	hydrite	,
	40	840	800	Re	ed Bed	& Anhydri		
3 13	40	1365 1687	525			Red Bed & Anhydri	•••	
16	87	1745	322 58			Anhydrite		
17		2110	58 365			Sand		
21	10	2444	334	1 '		Red Bed		
24		2744	300			& Anhydri	.te	
27 45	10	4540 5760	1796 1220	i	me % me %	Sand		
57		5838	78	,		Surre		
58	38	5909	71		me &	Shale		
ma	tal Dept	h EGGG					* *	
P1	ugged Ba	ck Depth	5879					,
	,						,	
							# ÷	
	f		!	<u> </u>				1

FORMATION RECORD—Continued

FROM-	то-	TOTAL FEET	FORMATION - 1990
			Navajo
			0 to 1497' - 11" 1497' to 5909' - 6-3/4"
			DEVIATION TESTS
	·		300' - 3/4° 4050' - 3/4° 1495' - 1/4° 4610' - 1/2° 2020' - 3/4° 4990' - 1/4°
FSON -	.E&:	TOTAL PERF	2450' - 1 KORPILION 5520' - 1/2"
		FORMAT	3000 10 5760 - 1/20 5760 - 1/20
<u></u>		J. Dillier	t aldy is
111 ma	darmamenta fi	non downtak	leon 10° above ground.
	construction is		The state of the s
	en in beautiful		Andle in garefler per collection to of use in mi-
	Contract contract	1	Gradicy, 286.
	1	}	and barrels of half of allich and the was off and all
	i	: ****	i .
in the process of the	romestrom is a		ASES
	Mary Her d. Mrs. 2012	10000	S USED for and from feet to feet
		1. 1	
en e		ogang v. sagas	per la participa de la properticipa della properticipa de la properticipa della propertic
Market 1987 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	, dere et en 	140011s	ve ricoro
Adapto a $-Mi$	repending the second		
How work by a			
		STOCK /	12 VDVS.1888
	-		

Final Systems of the control of the

 $\frac{f_{i,j}(x)}{x} \frac{f_{i,j}(x)}{x} \frac{f_{i,j}(x)}{f_{i,j}(x)} \frac{f_{i,j$

777 · 4 · 1 · . · · · · · · · · · · · · · · · ·		
STATES AND ADDRESS		PROTECTIONS SANGEROUSE SECTION OF SERVICE TO THE CONTROL OF SERVICE TO THE SERVICE TO THE CONTROL OF SERVICE TO THE SERVICE TO THE CONTROL OF SERVICE TO THE CONTROL OF SERVICE TO THE CONTROL OF SERVIC
Where we	Number sac	se of content. Method need is the digration in Automatic front decad
	7/	UDDING AND CELENTING RECORD
		1643004-2 U. S. GOVERNMENT PRINTING OFFICE
		HISTORY OF OIL OR GAS WELL
ith the reasons for t 'sidetracked'' or left	the work and its r in the well, give it	have a complete history of the well. Please state in detail the dates of redrilling, together the casing. If there were any changes made in the casing, state fully, and if any casing versize and location. If the well has been dynamited, give date, size, position, and number to test for water, state kind of material used, position, and results of pumping or bailing the control of
		and the second s
in the second of	Care asserting	of the control of the
	1. 1. 	andre de la companya de la companya La companya de la co
After dri	lling to	5909 and cementing 4-1/2" casing, top of cemen
o bine was	found to	be at 5879' (P.B.T.D.). Perforated 4-1/2" cast
from 5/14	to 5/18	', 5722' to 5728', 5756' to 5770' and 5792' to hots per root. Ran 2" tubing to 5687' with
oso, wit	n 4 jet si + a+ s220	hots per foot. Ran 2" tubing to 5687' with and acidized perforations with 3000 gallons
paower se	ru au 552e 5g acid	After swabbing, well flowed 251 barrels of oil
		The same market and the comment of t
in 6 bour	es.	1
in 6 hour	8.	
in 6 hour	'8.	
in 6 hour	8.	and the second of the second o
inion hour	'8.	OLD OR CAS CANDS OF ZOUES (b a) project (b, a) project (b, a) project (c) project (d) proje
in 6 hour (a) , () o o o o o o o gor o a aces, quign		OF OR ONE SHAPE OF ZOIE?
in' 6' hour (a' , ' , 'o b · · · · · · · · · · · · · · · · · ·		OLD OR CAS CANDS OF ZOUES (b a) project (b, a) project (b, a) project (c) project (d) proje
The comments for a market diding		OF OR ONE SHAPE OF ZOIE?
The countries		OF OR ONE SHAPE OF ZOIE?
o har an can be de	etorialinal from	Signed. Signed. Clie. Clie. Signed. Signed.
20 for an eau oc di 2atte	etorialinal from	which a complete and contact socord of the most and ad veck deve there at a waitable arounds Signed File File Signed File File
The injermore of far as can be designed by the structure of the far as f	electainal from	with its a complete net express socort of the west and at work deve there and available creates Signed. The solution of the well at all the solutions. Sign the certain to blink the library of the solution of the solutio
The internation of the internation of fair as can be defined by the international definition of the international definition o	clor gives here electained from y on his paped	Cine and th. (14) of Line of
The interner of area seed be dead of area can	clor gives here electained from y on his paped	with its a complete net express socort of the west and at work deve there and available creates Signed. The solution of the well at all the solutions. Sign the certain to blink the library of the solution of the solutio
Medi No. The international front of the international front of the international fields of the international front front of the international front of the internati	Sec. To Sec. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	Cine and th. (14) of Line of
Acid No. Academ	Sec. 17. of 18. or given here: or given here: or cheristical from a conclude large in	Field Circ and L. R. W. Meridian Line of L. R. W. Marion With is a complete met correct socort of the west and all week deve there sate evaluable creards Signed Signed Sior the cere delice of the well exists On OR Can makeus OR Zones William Which is a constant of the well exists On OR Can makeus OR Zones Which is a constant of the consta
Seed No. Lecasion 1 11 1 1 The information for an earl be described. The relationships The relationships	Sec. 17. of 18. or given here: or given here: or cheristical from a conclude large in	Kield Care State Cine and L. R. W. of Line of Line of Line work deve there will is a coincide on the correct socort of the west and adveck deve there sate available a roads Signed Signed Signed Car the correct of the west and adveck deve there will be one defined the west of the first of the library o
Medi No. Lecarion	Sov. The Sov. Sov. Sov. Sov. Sov. Sov. Sov. Sov.	Field Field Fig. Meridian Circ and L. Meridian Signed Signed Signed Fig. Meridian Signed Fig. Meridian Fig. Meridian
Company	Sov. The Sov. Sov. Sov. Sov. Sov. Sov. Sov. Sov.	Field Circ and L. R. W. Meridian Line of L. R. W. Marion With is a complete met correct socort of the west and all week deve there sate evaluable creards Signed Signed Sior the cere delice of the well exists On OR Can makeus OR Zones William Which is a constant of the well exists On OR Can makeus OR Zones Which is a constant of the consta
Company	Sov. The Sov. Sov. Sov. Sov. Sov. Sov. Sov. Sov.	Field Field Fig. Meridian Circ and L. Meridian Signed Signed Signed Fig. Meridian Signed Fig. Meridian Fig. Meridian
Jompany Lessor or Tract Vell No. Leration The intermer of ar as can be defined. The runnings for a second diffin	Sov. The Sov. Sov. Sov. Sov. Sov. Sov. Sov. Sov.	Address Rield L. T. Meridian Cine and L. R. W. of L. Line of L. W. Main and an vick feet there will swalpable creates Signed Signed Oit OR CAS STANDS ON ZOLES While Stands Oit OR CAS STANDS ON ZOLES
Company	Sov. The Sov. Sov. Sov. Sov. Sov. Sov. Sov. Sov.	Address Richi L. Meridian Circ and L. Meridian With is a complete med extract second of the west and advects there there signed Signed Signed Fine cer delicated the well extract Signed Oth OR Call MANDS OR 70,31.3 Edition
Company	Sov. The Sov. Sov. Sov. Sov. Sov. Sov. Sov. Sov.	Address Rield L. T. Meridian Cine and L. R. W. of L. Line of L. W. Main and an vick feet there will swalpable creates Signed Signed Oit OR CAS STANDS ON ZOLES While Stands Oit OR CAS STANDS ON ZOLES
Company	Sov. The Sov. Sov. Sov. Sov. Sov. Sov. Sov. Sov.	Address Richi L. Meridian Circ and L. Meridian With is a complete med extract second of the west and advects there there signed Signed Signed Fine cer delicated the well extract Signed Oth OR Call MANDS OR 70,31.3 Edition

SHOOTING RECORD

The property of the state of th

Adaptions - Malerie!

109001.94000

Magying Play- At thorn

(April 1952)			
	٥		-
	i		:

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	-
Indian Agency	Navajo
_	Tribal
Allottee	
Lease No. I-14	9-1710-8838

SUNDRY NOTICE	S AND REPORTS ON WELLS
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	
(INDICATE ABOVE BY CHECK	(MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
Navajo Tribe "C"	
Vell No. 16 is located 1980	ft. from $\binom{N}{S}$ line and $\binom{1980}{S}$ ft. from $\binom{E}{W}$ line of sec. $\binom{24}{S}$
(1/4 Sec. and Sec. No.) (Twp.)	24-E SM:
(¼ Sec. and Sec. No.) (Twp.)	(Range) (Meridian)
	San Juan Utah
(Field)	County or Subdivision) (State or Territory)
	ETAILS OF WORK show_sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceme
ing points, a	nd all other important proposed work)
Total depth 59091. Plug	red lack depth 58791.
racker set at 5322' and a	from 5714' to 5718', 5722' to 5728', to 5826'. Han 2" tubing to 5687' wit acidized perforations with 3000 callons six-a-frac.
I understand that this plan of work must receive app Company The Texas Company Address Eox 817	roval in writing by the Geological Survey before operations may be commenced.
farmington, sew ex	By M. Lingur, 14m Title istrict Superintendent
	Tulistrict Superiatendent

Form 9-331 b (April 1952)			
	0		
	i		

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR

Indian Agency	Neva jo
Allottee	
Lease No I =]	40-IND-883

SIINDRY N	NOTICES AND REPO	PTS ON WELLS 0
SONDKI N	TOTICES AND REI O	RIS ON WELLS (U
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REI	PORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLAN	NS SUBSEQUENT REI	PORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER		PORT OF ALTERING CASING.
NOTICE OF INTENTION TO REDRILL OR		PORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR AC		PORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALT		ion of Purping Equipment XXX
NOTICE OF INTENTION TO ABANDON WE		TOU OF PURDING PARTIES.
(INDICATE A	ABOVE BY CHECK MARK NATURE OF REPORT, N	OTICE, OR OTHER DATA)
avajo Tribe "C"		October 23, 19.58
MARIO TITOC O		, 19.00
of Section 24 (14 Sec. and Sec. No.)	(Twp.) (Range) San Juan	(Meridian) Utali
(Field)	(County or Subdivision)	(State or Territory)
as alazzation of the derrick fl	loor above sea level is 4875 ft.	
ie elevation of the defrica in	tool above sea level is Hagain. It.	
	DETAILS OF WORK	
ate names of and expected depths to ob	bjective sands; show sizes, weights, and length ing points, and all other important propos	s of proposed casings; indicate mudding jobs, cemen sed work)
tate names of and expected depths to ob	bjective sands; show sizes, weights, and length ing points, and all other important propos	s of proposed casings; indicate mudding jobs, cemen sed work)
nstalled pumping equip	ment and commenced pumping	g well 8-24-58. On 24 hour
installed pumping equip	ment and commenced pumping -58, pumped 188 barrels 4	g well 8-24-58. On 24 hour 2° gravity oil and 4 barrels
nstalled pumping equip	ment and commenced pumping	g well 8-24-58. On 24 hour 2° gravity oil and 4 barrels
nstalled pumping equip	ment and commenced pumping -58, pumped 188 barrels 4	g well 8-24-58. On 24 hour 2° gravity oil and 4 barrels
nstalled pumping equip	ment and commenced pumping -58, pumped 188 barrels 4	g well 8-24-58. On 24 hour 2° gravity oil and 4 barrels

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company The Texas Company Dox 817 Address____ Farmington, New Mexico

Title.

11)

A.S.

Form 9-331 b (April 1952)

(11)111 1002)						
	0					

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency NAVE 10
Allottee
Loase No. 1-149-IND-8838

SUNDRY NOTICES AND REPORTS ON WELLS

SUNDKI N	OTICES AN	ID REPOR	15 ON WE	LLO	
NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPO	RT OF WATER SHUT-OFF		-
NOTICE OF INTENTION TO CHANGE PLAN	S	SUBSEQUENT REPOR	RT OF SHOOTING OR ACI	DIZING	X
NOTICE OF INTENTION TO TEST WATER	SHUT-OFF	SUBSEQUENT REPOR	RT OF ALTERING CASING.		
NOTICE OF INTENTION TO REDRILL OR	REPAIR WELL	SUBSEQUENT REPOR	RT OF REDRILLING OR R	EPAIR	-X
NOTICE OF INTENTION TO SHOOT OR AC	IDIZE	SUBSEQUENT REPOR	RT OF ABANDONMENT		
NOTICE OF INTENTION TO PULL OR ALTI	R CASING	SUPPLEMENTARY W	ELL HISTORY		
NOTICE OF INTENTION TO ABANDON WE	L		~		
(INDICATE A	BOVE BY CHECK MARK NA	TURE OF REPORT, NOTI	CE, OR OTHER DATA)		-(
			March 12	. 1	962
Aneth Unit Vell No. <u>F224</u> is locate	ed 1980 ft. from	$\binom{N}{k}$ line and	80 ft. from (W)	line of sec	24
NWA of Sec. 24	40-8 2	24_K	SLA		
(½ Sec. and Sec. No.)	(Twp.)	Range)	(Meridian)		
Aneth	San J	Tuan	Utal	X	
(Field)	(County or	Subdivision)		Territory)	
ate names of and expected depths to ob					
Moved in pulling un plug at 5878' and p to 5826' with 3000 5780' and packer at with 2000 gallons o and packer at 5695' 5722' to 5728' with ing treatment, pull lined tubing with B Put inhibitor benin tested OK. Complet is now classified a on water injection	acker at 578 gallons of 6 5740'. Tre f emulsified . Treated p 2000 gallor ed packer ar aker Injecti d packer and ed workover s a water ir	30'. Treat mulsified eated perforation as of emuls ad bridge plon Packer i tested wi and shut walection wa	ed perforations from set bridge perform 5714 ified acid. lug. Ran 2-and set packth 1000# presult in 1-15-11 and was a	lons from t bridge t 5756' t olug at 5 ' to 5718 After o -3/8" pla cer at 56 essure62. Thi shut-in w	plug in 5792 plug in 5770 plug in 740 plug in and implementation in Facker in a section in a sec
ompany TEXACO Inc.					
ddress P. O. Box 8	10				
Farmington,	N. M.	By.	The state of the s	The second second	y west
		Title_	District S	perinter	ident

T7	•	004	٠.
Form	ъ-	ggT	D
(Anr	1 1	ዕደማነ	

	(April 1902)						
		0					
ļ				 -			

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Duaget Dureau No. 42-1008.4.	
Indian Agency Nava Jo	
4	
Allottee	
Lease No. I-149-IND-8838	

SUNDRY NOTICES AND REPORTS ON WELLS

	TO TICED I			011 11222	~
NOTICE OF INTENTION TO DRILL		1 11 7		OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLA	NS	SUBSEQ	JENT REPORT	OF SHOOTING OR ACIDIZIN	G X
NOTICE OF INTENTION TO TEST WATER	SHUT-OFF	1 11		OF ALTERING CASING	1 1
NOTICE OF INTENTION TO REDRILL OF	REPAIR WELL	SUBSEQ	JENT REPORT	OF REDRILLING OR REPAIR	t
NOTICE OF INTENTION TO SHOOT OR	CIDIZE	SUBSEQ	JENT REPORT	OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR AL	TER CASING	SUPPLEI	MENTARY WELI	L HISTORY	
NOTICE OF INTENTION TO ABANDON W	ELL	-			
(INDICATE	ABOVE BY CHECK MAR	K NATURE OF RI	PORT, NOTICE	, OR OTHER DATA)	
				July 10	19 63
Aneth Unit Well No. F224 is loca					of sec. 24
NWi of Sec. 24 (14 Sec. and Sec. No.)	<u>40-S</u>	24-E	SLM	(Meridian)	
				Utah	
<u>∧neth</u> (Field)	San Juan	y or Subdivision)		(State or Territ	
(Flata)	(Count	y or subdivision)		(Dente of Territ	0137
he elevation of the derrick f	loor above sea l	evel is 43	7.5. ft.		
		AILS OF W			
State names of and expected depths to o	bjective sands; show s ing points, and all	sizes, weights, ar l other importa	d lengths of part of proposed we	roposed casings; indicate m ork)	udding jobs, cement
Commenced workover					
Reason for workover	was to in	orease	injecti	vity by acid:	lzing.
Acidized all perforto 5770' and 5792' 15% acid with 1000 Treating pressure for 2½ barrels per mand returned well injected 400 barrel pressure of 1550 Fi) through to cubic feet 3400 to 210 minute. Afto water in 18 of water	cubing w cof CO ₂ O PSI w ter com	ith 150 gas pe ith an pleting . On 2	of gallons of a average injective treatment, 124 hour test	regular acid. stion rate back flows ending 4-3
I understand that this plan of work r	nust receive approval i	in writing by th	e Geological S	urvey before operations ma	y be commenced.
Company TEXACO Inc	75 18-0			·	
Address Box 310					_
	n, New Mexi	Leo	Ву	OP Ka	nn-
			Title_n	atentot Sura	alakandant

Г	UN. STATES	SUBMIT IN TRIPL (Other instructions on .e	Form approve Budget Burea	d. u No. 42–R142
L	DEPARTMENT OF THE INTER GEOLOGICAL SURVEY	RIOR (Other instructions on .e	5. LEASE DESIGNATION	AND SERIAL NO
701110		0)1 \(\sigma \text{FLLO}\)	6. IF INDIAN, ALLOTTEE	
	RY NOTICES AND REPORTS m for proposals to drill or to deepen or plug se "APPLICATION FOR PERMIT" for such		Navajo	
			7. UNIT AGREEMENT NA	ME
MELL MELL GYS	other injection Wel	1	Aneth Unit	
. NAME OF OPERATOR			8. FARM OR LEASE NAM	Е
ADDRESS OF OPERATOR			9. WELL NO.	
Day Jio, Famil	in marine dina		F-224	
	rt location clearly and in accordance with an	ny State requirements.*	10. FIELD AND POOL, OR	WILDCAT
At surface			Aneth	
300at 0 No.			11. SEC., T., R., M., OR BI SURVEY OR AREA	LK. AND
1900' Iron No.	rth Line and 1980' fro	m West Line	24, 40-8, 24	-E, SLA
4. PERMIT NO.	15. ELEVATIONS (Show whether	DF. RT. GR. etc.)	12. COUNTY OR PARISH	13. STATE
	48751 10	,, ,,	San Juan	Utah
6.	Chal A D. T. I I.	N. (N. D.		
	Check Appropriate Box To Indicate			
NOTI	CE OF INTENTION TO:	SUBSEQ	UENT REPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING W	ELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CA	
SHOOT OR ACIDIZE REPAIR WELL	ABANDON*	SHOOTING OR ACIDIZING	ABANDONMEN	T*
(Other)	CHANGE PLANS	(Other)(Note: Report result:	s of multiple completion o	n Well
7 DESCRIPE PROPOSED OF COL	MPLETED OPERATIONS (Clearly state all pertine il is directionally drilled, give subsurface loc	ont dotail d -t	oletion Report and Log form	-0 -44
	الرياس بين بن بن بن ويو بند أي الريم الأن يون والان الريم الأن الإن الإن الإن الإن الإن الإن الإن الإ	Annual Company of the State of the company of the c		
Commenced work Freated all pe 5792 to 5826') Stabilizing ag rate of two be back flushed f	exforations (5714) to	5718', 5722' to 57 500 gallons or 15% pressure 1500# PSI id was left on bot leting treatment.	28', 5756' to HCL acid wit with an injector one has	ction cur tà miecti
Commenced work freated all pe 5792 to 58261) stabilizing ag rate of two be back flushed f Injected 375 b	cover 5-25-54. Exforations (5714) to through tubing with the sent added. Treating three per minute. At the committee well. After committee well.	5718', 5722' to 57 500 gallons or 15% pressure 1500# PSI id was left on bot leting treatment.	28', 5756' to HCL acid wit with an injector one has	ction cur tax miectio

DATE __

APPROVED BY _____CONDITIONS OF APPROVAL, IF ANY:

		He-
Form 9-331 (May 1963)	L ED STATES SUBMIT IN	TR. FE* Form approved. ructions on re- Budget Bureau No. 42-R142
DEI	PARIMENT OF THE INTERIOR verse side)	5. LEASE DESIGNATION AND SERIAL NO.
	GEOLOGICAL SURVEY	I-149-IND-8838 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
(Do not use this form for	NOTICES AND REPORTS ON WELLS for proposals to drill or to deepen or plug back to a different r 'APPLICATION FOR PERMIT—" for such proposals.)	
1. OIL GAS G	Matan Andrakian	7. UNIT AGREEMENT NAME
WELL WELL C	OTHER Water injection	Aneth Unit 8. FARM OR LEASE NAME
TEXACO Inc.		C. Park on Bands Name
3. ADDRESS OF OPERATOR		9. WELL NO.
	aington, New Mexico 87401 location clearly and in accordance with any State requirements.	F224
See also space 17 below.) At surface	location clearly and in accordance with any State requirements.	10. FIELD AND POOL, OR WILDCAT Aneth
1980' from No	orth Line and 1980' from West Li	11. SEC., T., R., M., OR BLK. AND SUBVEY OR AREA
		all he a ab
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)	24, 40-8, 24-K, SI 12. COUNTY OF PARISH 13. STATE
11. 12. 10.	4875 DF	San Juan Utah
16. Ch	neck Appropriate Box To Indicate Nature of Notice,	
	of intention to:	subsequent report of:
F		
TEST WATER SHUT-OFF FRACTURE TREAT	PULL OR ALTER CASING WATER SHUI MULTIPLE COMPLETE FRACTURE TF	
SHOOT OR ACIDIZE	ABANDON* SHOOTING OF	
REPAIR WELL	CHANGE PLANS (Other)	
(Other)		: Report results of multiple completion on Well letion or Recompletion Report and Log form.)
Commenced work Backflowed well tubing with 2- pounds of Vise Displaced with	rkover was to increase injective kover on 4-29-64. 11 and treated all perforations -1/2 gallons of Visco Illi Surf co "900" sulfamic acid mixed with 30 barrels of water and shut li and returned to water inject	s (5714' to 5826') through factant, followed by 250 ith 400 gallons of water.

₹, 1

DATE ____

TITLE _

APPROVED BY ______CONDITIONS OF APPROVAL, IF ANY:

TED STATES DEPARTMENT OF THE INTERIOR Verme dadary and the record of the control	Form 9-331	TED STATES	SUBMIT '. 'AT	Form approv	ed
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for perpensals to gettle to determ or just lack to a different reservoir. Column	(May 1963)		(Other no in	re Dudget Duled	
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals is drill of the deepen or plate back to a different reservoir. (Do not use this form for proposals is drill of the deepen or plate back to a different reservoir. (Do not use this form for proposals is drill of the deepen or plate back to a different reservoir. (Do not use this form for proposals is drill of the deepen or plate back to a different reservoir. (Do not use this form for proposals is drill of the deepen or plate back to a different reservoir. (Do not use this form for proposals is drill of the drill of the deepen or plate back to a different reservoir. (Do not use this form for proposals is drill of the drill of the deepen or plate back to a different reservoir. (Do not use this form for proposals is drill of the drill of the deepen or plate back to a different reservoir. (Do not use this form for proposals is drill of the drill of the deepen or plate back to a different reservoir. (Do not use this form for proposals while a different reservoir. (Do not use this form for proposals while a different reservoir. (Do not use this form for proposals while a different reservoir. (Do not use this form for proposals while a different reservoir. (Do not use this drill of the drill of the different reservoir. (Do not use this drill of the drill of	/ DEI A		Off verse side)	I-149-IND	-8838
(Due not use this form for proposals to dellow, the deepens or plate back to a different reservoir. 1			0 \ 1 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		
Only 12 And 1980 And 1980 And 1980 FWL 1980 FNL and 1980 FWL 2080	SUNDRY N	IOIRES AND REPORTS (ON WELLS	333 8 20	
ONLY OF THE STAND OF LINEAR MANDE STAND OF L	Use "AP	PLICATION FOR PERMIT—" for such p	proposals.)	Navajo	
2. SAME OF OPERATOR TEXACO Inc. Box 810, Farmington, New Mexico 87401 F224 F224 F3 calcass or wate. (Report location clearly and in accordance with any State requirements.* 1980' FNL and 1980' FWL 15. REVATIONS (Show whether PF. RT. GR. cts.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: VERY WATER REDUCTOR FARMER FINDOW OR ALLERS CASING NOTICE OF INTENTION TO: VERY WATER REDUCTOR FARMER FINDOW OR ACCOUNTAGED OFERATORS (Clearly state all pertinent details) and five pertinents date of starting at next to this work.)* Total depth 5909' - PB 5879' Reason for workover was to increase injection into Zone I to assure recovery of reserves and reduction in the indicated flood life. Moved in pulling unit and commenced workover 8/30/67. Pulled injection tubing and dressed seal assembly. Reven plastic coated tubing and loade casing annulus with inhibited water. Acticized all perforations (5714'-5718') 5722' to 5728', 5756' to 5770', and 5792 to 5826) in stages with 18, 18, 18, 18, 18, 18, 18, 18, 18, 18,					AME
TEXACO Inc. 8. Accuses or Overagon Box 810, Farmington, New Mexico 87401 1980, FNL and 1980, FWL 118. Research Follow, Act surface 1980, FNL and 1980, FWL 11980, FNL and 1980, FWL 120, Country or Passed 188, SLM 121, Country or Passed 188, SLM 122, AND SERVER SLM 123, COUNTRY OF PASSED 188, SLM 124, AOS, R24E, SLM 125, SLM 126, CNL, W. On sink AND 127, SCHALLE SHIPPORT OF INTERESTOR TO: 128, COUNTRY OF PASSED 188, SLM 129, AOS, R24E, SLM 129, AOS, R24E, SLM 120, CNL, W. On sink AND 120, SCHALLE SLM 120, AND SCHALLE SLM 120, FNL AND FOOL, OR WILLOUT 120, FNL AND FOOL, OR FILL INC. 120, FNL	WELL WELL A OTH	water Injection			
BOX 810, Farmington, New Mexico 87401 4. COLUMNO O WELL (Report location clearly and in accordance with any State requirements.* An early and the see also space 17 below. 1930' FNL and 1980' FWL 14. PERMIT NO. 15. RIEVATIONS (Show whether DF. M. CR. etc.) 18. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INVENTION TO: ***********************************	-			8. FARM OR LEASE NAI	
BOX 810, Farmington, New Mexico 87401 4. Location or will (Report location clearly and in accordance with any State requirements.* 1980' PNL and 1980' FWL 19. Repair No. 15. Repairons (Show whether or, N. C. etc.) 19. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Subspicious Trans. 10. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Subspicious Trans. 10. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Subspicious Trans. 10. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Subspicious Trans. 10. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Subspicious Trans. 11. Subspicious Trans. 12. Country or Parkell 15. State and Subspicious Trans. 13. State Subspicious Trans. 14. PERMIT NO. 15. Repair Notice Country Trans. 14. PERMIT NO. 15. Repair Notice Trans. 15. Repair Notice Trans. 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Subspicious Trans. 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Subspicious Trans. 17. Describe Trans. 18. Therefore Certify that the foregoing is true and correct Subspicious Trans. 18. Therefore Certify that the foregoing is true and correct Subspicious Trans. 18. Therefore Certify that the foregoing is true and correct Subspicious Trans. 18. Therefore Certify that the foregoing is true and correct Subspicious Trans. 18. Therefore Certify that the foregoing is true and correct Subspicious Trans. 18. Therefore Certify that the foregoing is true and correct Subspicious Trans. 18. Therefore Certify that the foregoing is true and correct Subspicious Trans. 18. Therefore Certify that the foregoing is true and correct Subspicious Trans. 18. Therefore Certify that the foregoing is true				9. WELL NO.	
1930' FNL and 1980' FWL 1930' FNL and 1980' FWL 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, NT, OR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Notice of Inventors or Notice of Inventors of of	•	ston New Mexico 87	401		
Aneth 1980' FNL and 1980' FWL 14. PERMIT NO. 15. REFYATIONS (Show whether DF, NT, OR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION NO. 17. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION NO. 18. THEST WATER SHUT-OFF PLACE OF INTENTION NO. TEST WATER SHUT-OFF PLACE OF INTENTION NO. CHANGE FLANS (Other) TO ALDERE TREAT SHOOT OR ACTORIE TREAT SHOOT OR ACTORIES OR COMPLETED OPERATIONS (Clearly state all perthant details, and state of perthant of multiple completion on Well Completion or Recompletion of Well Completion or Recompletion of the Completion or Recompletion of Members and SHOOT PROPERTY OF THE TREAT TREATMENT TREATMENT TREATMENT OF THE TREATMENT TREATMENT OF THE TREATMENT TREATMENT OF THE TREATM	4. LOCATION OF WELL (Report loca	tion clearly and in accordance with any	State requirements.*		R WILDCAT
1980' FNL and 1980' FWL 14. PERNIT NO. 15. REAVATIONS (Show whether DF. Nt. OR. etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTERNION TO: TEST WATER SHUT-OFF PRACTURE TREAT SHOOT OR ACIDIZE ARABDON' REPAIR WELL (Other) 17. DESCRIPT PROPOSED OR COMPLETE OFFRATURE OF PLANS (Other) PROPOSED OR COMPLETE OFFRATURE TREAT ALTER CARING PROPOSED OR COMPLETE OFFRATURE TREAT ALTER AND ARABDON' REPAIR WELL (Other) Total depth 5909' - PB 5879' Reason for workover was to increase injection into Zone I to ssaure recovery of reserves and reduction in the indicated flood life. Moved in pulling unit and commenced workover 8/30/67. Pulled injection tubing and dressed seal assembly. Reran plastic coated tubing and loade casing annulus with inhibited water. Acidized all perforations (5714'- 5713') 5722' to 5728', 5756' to 5770', and 5792 to 5826) in stages with 3,000 galls. 28% NE-HCL. Spotted 1,000 galls. Rock Salt TPA. Completed treatment and returned well to injection. On test ending 9/1/67, injected 1,368 BW in 24 nours. Injection tubing pressure 1,100 psi.	See also space 17 below.)			Aneth	
14. PERMIT NO. 16. SLEVATIONS (Show whether of, Rt. GR. etc.) 17. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PRACTURE TRADE SHOOT OR ACIDIZE SHOOT O				11. SEC., T., R., M., OR SURVEY OR AREA	BLK. AND
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data 16. NOTICE OF INTENTION TO: TEST WATER SHUF-OFF PRACTURE TREAT SHOOT OR ACIDIZE SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING REPARING WELL (Other) TOTAL THE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHUF-OFF PRACTURE TREATMENT ALTERING CASING SHOOT OF TEST WATER SHOTT ALTERING CASING SHOOT OF TEST WATER SHOTT ALTERING CASING REPARING WELL (Other) TOTAL THE TREATMENT ALTERING TO THE TREATMENT ALTERI	1980' FNL and 19	980' FWL			
16. Check Appropriete Box To Indicate Nature of Notice, Report, or Other Data Notice of Intention to: TEST WATER SHUF-OFF PRACTURE TREAT SHOOT OR ACIDIZETE PULL OR ALTER CASING MULTIPLE COMPLETE ARABOON* CHANGE PLANS (Other) Total depth 5909' - PB 5879' Reason for workover was to increase injection into Zone I to assure recovery of reserves and reduction in the indicated flood life. Moved in pulling unit and commenced workover 8/30/67. Pulled injection tubing and dressed seal assembly. Reran plastic coated tubing and loade casing annulus with inhibited water. Acidized all perforations (5714'-5718') 5722' to 5728', 5756' to 5770', and 5792 to 5826' in stages with 6,000 gals. 288 NE-HCL. Spotted 1,000 gals., Rock Salt TPA. Completed 1,368 EW in 24 nours. Injection tubing pressure 1,100 psi. 18. Thereby certify that the foregoing is true and correct Signed MINIOTORY SALT SALT SUPPLIFIED THE CONTROL OF SIGNED TITLE District Superintendent DATE 9/22/67	-				
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Notice of Intention to: TEST WATER SHUF-OFF PRACTURE TREAT SHOOT OR ACIDIER SHORT TREAT MICHIPLE COMPLETE SHOOT OR ACIDIER ABANDAN' REPAIR WELL CHANGE PLANS (Other)	14. PERMIT NO.		F, RT, GR, etc.)		
NOTICE OF INVENTION TO: TEST WATER SHUT-OFF PRACTER TREAT SHOOT OR ACIDIZE SHOOT OR WELL Completion or Recompletion Report and Log form.) Total depth 5909' - PB 5879' Reason for workover was to increase injection into Zone I to assure recovery of reserves and reduction in the indicated flood life. Moved in pulling unit and commenced workover 8/30/67. Pulled injection tubing and dressed seal assembly. Reran plastic coated tubing and loade casing annulus with inhibited water. Acidized all perforations (5714'- 5718') 5722' to 5728', 5756' to 577C', and 5792 to 5826) in stages with 5,000 gals. 28% NE-HCL. Spotted 1,000 gals., Rock Salt TPA. Completed treatment and returned well to injection. On test ending 9/1/67, injected 1,368 BW in 24 nours. Injection tubing pressure 1,100 psi.		4875' DF		San Juan	Utan
PRACTURE TREAT SHOOT ON ACIDIZE REPAIR WELL ALTERING CASING ABANDON* REPAIR WELL ALTERING WELL ALTERING CASING ABANDON* REPAIR WELL ALTERING CASING ABANDON*	16. Chec	k Appropriate Box To Indicate N	Nature of Notice, Report, o	r Other Data	
PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL CHANGE PLANS (Other) REPAIR WELL (Other) R	NOTICE OF	INTENTION TO:	SUBS	SEQUENT REPORT OF:	
PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL CHANGE PLANS (Other) REPAIR WELL (Other) R		DULL OF ALTER CASING	WATED SHIT-OFF	REPAIRING	WELL
SHOOT OR ACIDIZE REFAIR WELL (Other) CHANGE PLANS CHANGE PLANS (Other)					[]
(Other) (Other) (Other) (Other) (Norm: Report results of multiple completion on Well (Completing Proposed or Completion of Recompletion Report and Log form.) (Other) (Norm: Report results of multiple completion on Well (Completion of Recompletion Report and Log form.) (Other) (Norm: Report results of multiple completion on Well (Completion of Recompletion Report and Log form.) (Other) (Norm: Report results of multiple completion on Well (Completion of Recompletion Report and Log form.) (Other) (Norm: Report results of multiple completion on Well (Completion of Recompletion Report and Log form.) (Other) (Norm: Report results of multiple completion on Well (Completion of Recompletion Report and Log form.) (Other) (Norm: Report results of multiple completion on Well (Completion of Recompletion Report and Log form.) (In proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pert near to be subsurface locations and measured and true vertical depths for all markers and zones pert near to his work.) (Report and Log form.) (Other) (Norm: Report results of multiple completion on Well (Completion of Recompletion Report and Log form.) (Report and Log form.) (Other) (Norm: Report results of multiple completion of Recompletion of States of Stat			SHOOTING OR ACIDIZING	X ABANDONME	NT*
(Other) Others Proposed on Complete or Real December 17 Described Proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) Total depth 5909' - PB 5879' Reason for workover was to increase injection into Zone I to assure recovery of reserves and reduction in the indicated flood life. Moved in pulling unit and commenced workover 8/30/67. Pulled injection tubing and dressed seal assembly. Reran plastic coated tubing and loade casing annulus with inhibited water. Acidized all perforations (5714'-5713') 5722' to 5728', 5756' to 577C', and 5792 to 5826) in stages with 5,000 gals. 28% NE-HCL. Spotted 1,000 gals., Rock Salt TPA. Completed treatment and returned well to injection. On test ending 9/1/67, injected 1,368 BW in 24 nours. Injection tubing pressure 1,100 psi.		CHANGE PLANS			
Total depth 5909' - PB 5879' Reason for workover was to increase injection into Zone I to assure recovery of reserves and reduction in the indicated flood life. Moved in pulling unit and commenced workover 8/30/67. Pulled injection tubing and dressed seal assembly. Reran plastic coated tubing and loade casing annulus with inhibited water. Acidized all perforations (5714'-5718') 5722' to 5728', 5756' to 5770', and 5792 to 5826) in stages with 5,000 gals. 28% NE-HCL. Spotted 1,000 gals., Rock Salt TPA. Completed treatment and returned well to injection. On test ending 9/1/67, injected 1,368 EW in 24 nours. Injection tubing pressure 1,100 psi. 18. I hereby certify that the foregoing is true and correct SIGNED TITLE District Superintendent DATE 9/22/67	(Other)	<u> </u>	(Note: Report res Completion or Reco	ults of multiple completion empletion Report and Log fo	on Well orm.)
Moved in pulling unit and commenced workover 8/30/67. Pulled injection tubing and dressed seal assembly. Reran plastic coated tubing and loade casing annulus with inhibited water. Acidized all perforations (5714'-5718') 5722' to 5728', 5756' to 577C', and 5792 to 5826) in stages with 6,000 gals. 28% NE-HCL. Spotted 1,000 gals., Rock Salt TPA. Completed treatment and returned well to injection. On test ending 9/1/67, injected 1,368 BW in 24 nours. Injection tubing pressure 1,100 psi.	proposed work. If well is onent to this work.) *	directionally drilled, give subsurface loca	ations and measured and true ve	rtical deptus for all market	rs and zones perti
tubing and dressed seal assembly. Reran plastic coated tubing and loade casing annulus with inhibited water. Acidized all perforations (5714'-5718') 5722' to 5728', 5756' to 5770', and 5792 to 5826) in stages with 5,000 gals. 28% NE-HCL. Spotted 1,000 gals., Rock Salt TPA. Completed treatment and returned well to injection. On test ending 9/1/67, injected 1,368 BW in 24 hours. Injection tubing pressure 1,100 psi. 18. I hereby certify that the foregoing is true and correct SIGNED	Reason for works	over was to increase erves and reduction	injection into in the indicated	Zone I to ass I flood life.	ure
SIGNED	tubing and dress casing annulus v 5718') 5722' to 5,000 gals. 28% treatment and re	sed seal assembly. with inhibited water 5728', 5756' to 577 NE-HCL. Spotted 1, eturned well to inje	Reran plastic cor. Acidized all 'C', and 5792 to 000 gals., Rock ection. On test	pated tubing a perforations 5826) in stag Salt TPA. Coending 9/1/67	nd loade (5714'- es with mpleted
SIGNED					
SIGNED					
	18. I hereby certify that the foreg	-			i at
	SIGNED	TITLE D	istrict Superinte	endent DATE 9/2	2/67

DATE __

APPROVED BY _______ CONDITIONS OF APPROVAL, IF ANY:

Ž.

STATE OF UTAH DIVISION OF OIL, GAS, AND MINING ROOM 4241 STATE OFFICE BUILDING SALT LAKE CITY, UTAH 84114 (801) 533-5771

(RULE 1-5)

FORM NO. DOGM-UIC-1

IN THE MATTER OF THE APPLICATION OF Texaco Inc.	CAUSE NO.	
ADDRESS P. O. BOX EE	CRUJE NO.	
Cortez, Colorado zip 81321	ENHANCED RECOVERY INJ. WELL	
INDIVIDUALPARTNERSHIPCORPORTATION XX	DISPOSAL WELL	
FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR		
INJECT RUID INTO THE AU F224 WELL		
SEC. 24 TWP. 405 RANGE 24E		
San Juan County, UTAH		

APPLICATION

Comes now the applicant and shows the Division the following:


1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recevery injections or disposal operations.

Section of Enhanced Recovery Imperion of Disposed Well SE IA - NW IA Sec. 24 Twp. 40 Rgo. 24 Enw IA New Well To Bo Drilled Yes No. No. Casing Test Yes No.	Lease Name Aneth Unit	Well No.	= 224	Field	Aneth	County	San Juan
Old Well To Be Converted Yes No Dete 1-14-62 septh-Base Lawest Known 215 Dees Injection Zene Contain outsin of Aneth Unit Producting Geologic Name of Paradox: seelegic Name of Paradox: Depth of Injection Sene (a) +/- 5600 Top of the Perference Interval: 57/4 b. Base of Fresh Weter 215 c. Intervening Thickness (a minus b) 4409 the intervening thickness sufficient to show fresh water will be greated distincted without additional date? Depth of Sene Rayer the intervening Zenes Sandstone, 1 mestone & anhydrite w/intermittent shale layers specified Rates and Pressures Maximum 2,000 2,500 PSI the Navajo Tribe Box 146 Window Rock, Arizona 86515 When Calorado Dest Tribe Shale Colorado Dest Mary Casing Test Yes No Dete 1-14-62 Shale Name Dest Ne Dete 1-14-62 Shale Window Rock, Arizona 86515 Casing Test Yes No Dete 1-14-62 Shale Window Rock, Arizona 86515 Casing Test Yes No Dete 1-14-62 Shale Window Rock, Arizona 86515 Casing Test Yes No Dete 1-14-62 Shale Window Rock Arizona 86515 Casing Test Yes No Dete 1-14-62 Shale Window Rock Arizona 86515 Casing Test Yes No Dete 1-14-62 Shale Window Rock Arizona 86515 Casing Test Yes No Dest No Shale Whet Oil & Gas Shale Whet Oil &	ocation of Enhanced Recovery ojection or Disposal Well <u>SE</u>			'/	Twp4.0	<u> </u>	Rgo. 24F
Oli-Gas-Fresh Water Within 1/2 Mile ADD Oil & Gas Section of Aneth Unit Producing Section of Aneth Unit Producing Section Source(s) Wells & San Juan River Section of Paradox: Section Zone DESERT CREEK Top of the Perforated Interval: 57/4 Section Interval ST/4 to 5826 The intervaning thickness sufficient to show fresh water will be protected without additional data? The intervaning Zones Sandstone, Immestone & anhydrite w/intermittent shale layers Section Rates and Pressures Maximum 2,000 8/D 2,500 PSI The Navajo Tribe Box 146 Window Rock, Arizona 86515 Where R. Mark Field S		Old W					
Application Source(s) Wells & San Juan River Sologic Name of Paradox: Depth of Source(s) +/- 5600' Sologic Name of Paradox: Depth of Source(s) +/- 5600' Sologic Name of Paradox: Depth of Source(s) +/- 5600' Sologic Name of Paradox: Depth of Source(s) +/- 5600' Sologic Name of Paradox: Depth of Source(s) +/- 5600' Sologic Name of Paradox: Depth of Source(s) +/- 5600' Sologic Name of Paradox: Depth of Source(s) +/- 5600' Sologic Name of Paradox: Depth of Source(s) +/- 5600' Sologic Name of Source(s) +/- 5600' Sologic Name of Paradox: Depth of Source(s) +/- 5600' Sologic Name of So	resh Water Within ½ Mile <u>(</u>	Oil-Ge	ss-Fresh Water	ientaln Within ½ Mile	YB)X NO 🗆		1
Depth of Injection Interval 57/4 to 5826 Top of the Perference Interval: 57/4 to 5826 The intervaning thickness sufficient to show frosh water will be protected without additional data? The intervaning thickness sufficient to show frosh water will be protected to the intervaning thickness (a minus b) 4400 to the later? The intervaning thickness sufficient to show frosh water will be protected to the intervaning Zenes Sandstone, limestone & anhydrite w/intermittent shale layers The lates and Pressures Maximum 2,000 8/0 2,500 PSI The Navajo Tribe Box 146 Window Rock, Arizona 86515 When R. Maximum Field S	ication of Aneth Uni ijection Source(s) Wells	& San Ju	ing an				
the intervening thickness sufficient to show frosh water will be protected without additional data? Ithology of Intervening Zenes Sandstone, limestone & anhydrite w/intermittent shale layers Injection Rates and Pressures Maximum 2,000 2,500 51 The Navajo Tribe Box 146 Window Rock, Arizona 86515 Window Rock, Arizona 86515	niection Zone DESEO	OX:		Depth of Injection	tion 714 to 58:	26	
she intervening thickness sufficient to show frosh water will be protected without additional data? Ithology of Intervening Zones Sandstone, limestone & anhydrite w/intermittent shale layers Injection Rates and Pressures Maximum 2,000 2,500 8/B 2,500 8/B The Names and Addresses of Those To Whom Copies of This Application and Attachments Have Boon Sent The Navajo Tribe Box 146 Window Rock, Arizona 86515 Shale Colorado Field S	. Top of the Perforated Interva	57/4	. Base of Fresh	Woter: 1215	- C. Intervening	Thickness (a	minus b) 4499 '
ithology of Intervening Zenes Sandstone, limestone & anhydrite w/intermittent shale layers Maximum	s the intervening thickness suff						<u> </u>
Maximum 2,000 2,500 PSI The Names and Addresses of These To Whom Copies of This Application and Attachments Have Boon Sent The Navajo Tribe Box 146 Window Rock, Arizona 86515 ete of Colorado Field S			e, lime	stone &	·	e w/in	termittent
The Navajo Tribe Box 146 Window Rock, Arizona 86515 Colorado Field S	njection Rates and Pressures			ayers)
Box 146 Window Rock, Arizona 86515 Ohn R. Mary Field S	he Names and Addresses of Th	ese Te Whom Cop	ies of This App	lication and Att	echments Have B	een Sent	
Window Rock, Arizona 86515 Off Colorado Field S	The Navajo	<u>Tribe</u>					
oled Colorado , Ohn R. Mary Field S	Box 146						
Montezuma) When R. Mary Field S	Window Rock	, Arizon	a 86515			· · · · · · · · · · · · · · · · · · ·	
punty of)	ah	n R. 7	4 Applicant	Field Su
Before me, the undersigned authority, on this day personally appearedAlvin_R. Marx	Before me, the undersigned	authority, on this)	annered	Alvin R	Marx	
			_	_			
	Sufficient for states in		-LILL CRY OI	_Dec_ ,		A. P.	11/
Superihad and supern to hadon me this 16th August Dec. 1883				_	you	7	
and I have been	SSAL	_10/25/85	7	Na	l/ Public In and	Colo	rado

- 1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
 - 2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
- 3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within ½ mile, together and with name of operator.
- 4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
 - 5. Attach Electric or Radioactivity Log of Subject well (if released).
- 6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
- 7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
- 8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within ½ mile of injection well.
- 9. Affidavit of mailing or delivery shall be filed not later than five days after the application is
- 10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and valume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
- 11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
- 12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
 - 13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STRI	NG SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	8-5/8"	1497	1050	SURF	CIRC
Intermediate					
Production	4-1/2'	5909	250	5879	CALCULATED
Tubing	2-3/8"		BAKER 4	Type - Depth of	Tubing Packer 5563'
Total Depth 5909	Geologic Name - In DESERT CREEK	nj. Zone Dept	h - Top of Inj. Inte 5714	rval Depth	- Base of Inj. Interval 5824



TOTAL DEPTH 5909

FORM DOGM-UIC-2 PLEASE TYPE OR USE E							
(Rule I-5 (b)	2	To be filed v	vithin 30 da	rs after driffi	ng is comp	loted) I-1	49 <u>-IND-883</u> 8
API NO		EPARTMENT D	OF NATURA MISION OF OIL Room 4241 \$4	AL RESOURC , GAS, AND M no Office Build ity, Uteh B4114	ES AND EI INNG Ing I	NERGY	RGE. 24E
			OMPANY OPE PYCE ADDRES OWN	Aneth II PRODUCTION C # 5	exaco 0 F stat nit w 19 57 Dan 1:31-5 E w NW # SPC. A	Inc. Rox EE E ZIPCo FIL NO A LING PINISHE ES COMPLE N 980 FT. PR	10 81321 = 224 to 1-19 10 58 TED 1-31-58
Single Zer Multiple 2 Comingle	TYPE COMPLETION Single Zene DESERT CREEK Order No Multiple Zene Order No Comingled Order No LOCATION EXCEPTION Order No						
			Off OS	GAS ZONES		-	
DESER	T CREE	From £ 5714	5826		Name	Fre	m to
							·
			CASING	& CEMENT			
	Cooling Set Cog. Tool Coment						
Size	Wgt	Grade	Feet	Pol	Sex	Fillup	Top
8-5/8	24	1.55	1497	800	1050	NA	SURF
4-1/2	9.5,11	J-55	5909	1000	250	NA	5879

5563 KB

PACKERS SET DEPTH _

COMPLETION &	TEST DATA BY PRODUCT	NG PORMATION
	•	_

PORMATION	Desert Creek	DESERT CREEK	
SPACING & SPACING ORDER NO.	40 acre	40 acre	
CLASSIFICATION (Oil; Ges; Dry; Inj. Well)	OIL	INJ	
PERPORATED	5714-5718		
	5722-5728		
INTERVALS	5756-5770		
	5792-5826		
ACIDIZED?	3000 GAL		
•	REG 15%		
. PRACTURE TREATED?	NO		

INITIAL TEST DATA

Date	1-31-58	1-15-62	
Off. bbl./day	904		
Oli Gravity	39		
Ges. Cu. Ft./day	NA	æ	æ
Gas-Oil Ratio Cu. Pt./Bbl.	NA		
Water-Bbl./day	100	400	
Pumping or Flowing	FLOWING		
CHOKE SIZE	NA		
NOW TURNO PRESSURE	NA		

d of the formations drilled through, and portinent remarks are presented on the reverse. (use reverse side)

1, the undersigned, being first duly sworn upon earth, state that this well record is true, correct and complete

1-303-565-8401 State of Colorado Field Supt.

County of Montezuma
Subscribed and sworn before me this 16th day of December 183

My commission expires 10/25/87 for 2. Pry late

728 N. Beech, Cortez, Co. 81321

·		200	T-405-R24E		THUS-R25E	+
1507 100 100 100 100 100 100 100 100 100 1	8 C 300 P 30	X 100	San Juan, County Utah	12	San Jian Co.	nty, Wah
FINE CITE OF THE C	C97 P117 P117 P117 C117 P217 P117 C117 P217 P117 C117 P217 C117 P217 AND P117 AN	C216 F236 G236 H2316 C216 F236 G236 H2316 C216 F237 G236 H2316	103 J. 43 Circ Fine circ folds 103 J. 43 Circ Fine circ folds 104 J. 105 J. 1	(28) (C) (c)	+* 10	17
19 1411 1411 1411 1411 1411 1411 1411 1	1210 1210 20 1210 1021	-EASTED 120 CON 120 CO	112 June 1711 0211 /m	1214 1214 1424 1424 1424 1424 1424 1424	19 - 19 - 19 - 19 - 19 - 19 - 19 - 19 -	23
30	(223 (233 (233 (233) (233)	H126	19227 15 15 1 April 19 15 1 April 19 15 15 15 15 15 15 15 15 15 15 15 15 15	1223 1221 1222 1922 1223 1221 1222 1922 123 25 123 1237 1245 125 125 1257 1245 1245 1247		00
);		· · · · · · · · · · · · · · · · · · ·			

U INSTRUCTIONS CANCELS LETTER:S) OF SIGNED BY
EXACO PERMANENT ROUTINE TEMPORARY
Subject: Water analysis from
Nava TO Aquifer
Anoth Unit HALS
Location- SEYA-SEYA SOCIS, TAOS, REAE
Sample Date - 1-17-59
Depth: Nougo fauller
- CEOTA COOF
Temp- 67° F
Ph - 8, 7
Total Ossolved Solicle - 2573 ppin
5,0, -16ppm CO3=-130ppm
Cat - 7ppm HCO3 - 156 ppm
Mat - 38 ppm 304 249 ppm
Nd+ - 76 ppm C1 757 ppm
Aneth Unit GAZZ
Anoth Mare Otax
Location- SW/4-SE/4 Sec 22, T40S, R24E
Sample Date. 1-18-59
Deoth- Navajo Aguifer.
$\frac{1}{1}$ $\frac{1}{2}$ $\frac{1}$
70 fal Disaduad Solido - 2883 ppm
5,0-1700m C0-9250pm
Ca+-600m HCOz9120pm
$m_{c}^{+} = 8 \text{ som}$ $SO_{1} = -265 \text{ som}$
1119 - 8 ppm 307 - 3 3 ppm
Na 2126bm Cl - 2116bm
Mark the second
& Note: these numbers were obtained from Texaco Filor
-In the Monuson Division offices.
If letter requires reply prepare in triplicate, for- P.O. Box 2100
warding original and duplicate, and retain copy.
2030 BV

NL Treating Chemicals/NL Industries, Inc.

								SHEET	200	BER
TOMPANY								DATE		
7	EXACO, IN	CORPOR	ATED	· · · · · · · · · · · · · · · · · · ·					PR Z	<u> </u>
FIELD						Y OR PARISH	- t	STATI	TA	u
- ENSE DA U	ムベミナル		WELL ST NAME O	9 70.	1	AN JUAN				
1 .	ンベミート		INJECTION	WATER						,
5627 H. =7.	SHT, F	PL	ANT	TEWP, F	V T E A	, eeu day	OIL, BEL'DAY	645.	214 C F 2	
DATE SAME		TYSE OF		™ su=PLY		X WATER	: F 000	SAL	T WAT	F 5 6 11
4 APRI	1982	1		TER ANALYSIS					- 	
ſ.			 101237 FEEWUKN				JN.T)			
<u>, " 50 44 5</u>			0 - 5			5	10			°C1_
-71	• • • • •	1 ' ' '		i						
100 Ca		+++	+++++		1 1 1	x				НСС
	1 , 1 ,	, , , ,		- ' '	/	' '				
100 Mg	++++	++=		++++	 	+ + + + + + + + + + + + + + + + + + + +			 . -	504.
0.1 Fe***	- , , , , ,	1 1 1 1			/ ! ! !	1 1 1				_ co3
DISSOLVED	SOLIDS					DISSOLVE) GASES		<u></u>	
5.330E V E E	306103					0.550 = + = 1	3 3 3 2 3			
CATIONS	•		me/l*	<u>ma /1</u> :	•	Hydrogen S		337.		
Total Hardr		_	392.0	536		Carbon Dio Oxygen, Oz		185.	<u>0 </u>	
Calcium, Co		-	124.0	1519		Oxygen, Oz	i		<u> </u>	1971
Magnesium, ron (Total)		_	0.5	10	.0	PHYSICAL	PROPERTIES			
Barium, Ba		-			.0_				_	
Sodium, No	(calc.)	-	1035.1	23801	7, 3	pH	D	6.6	۶. ۲ <u>۶</u>	1\/
AMIONS		=			<u>_</u>	Eh (Redox Scecific Gi		N. 5		ΛV
,→Chloride, C	1 -		1380.3	49000	. 0	Turbidity, .		N.1		
Sulfater 50		-	24.5	1175		Total Diss	olved Solids (calc.)			ng 🗥
Cursonate,	CO3 ^t	_	0.0			Stub sity 15	dex 6 77 F	+ c · 3		
=Sicarbonate	:, HCO3 ⁻	_	4.0	242	0.0	C450 (5-1)	€ <u>140</u> F bility <u>€ 77</u> F	+ 1.3		4e/1°
Hydroxyl, C Sulfide, S=) ri -	~	18.8	3∝		C030 2 3510	2176 F	306.		
Sult.0e, 5"		_				Max. CaSO	Possible (ccic.)			-e/1"
r		_				Max. BaSO	Possible (calc.)			mg/l*
u		_				Residual H	lydrocarbons	1,1	<u>>.</u>	ppm(V
SUSPENDE	D SOLIDS (QU.	ALITATIVE	E)				•			
Iron Sulfide	lron C	xide 🗌	Calcium Carl	bonate 🗌	Acid In	soluble 🗌	*NOTE: me/l			
FREMARKS	AND RECOMME	ENDATION:	S :				used intercha	-		
	SHOWS A		CY TOWAR	D SCALIN	G; PR	TMARTL	•	ions sho		
CALCI J:	UM CARE	ONATE					specific grov	ity.		
E'C ENGINE			চ. হা. ⊲০.	ACCRESS			OFFICE PHONE		HOME	SHONE

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

Operator: Jeraco	Well No. F224 and Ing
County: 5m 7 405 R 2	45 Sec. 24 API# 43-037-16789
New Well Conversion Disposal	Well Enhanced Recovery Well
	YES NO
UIC Forms Completed	
Plat including Surface Owners. and wells of available record	Leaseholders,
Schematic Diagram	<u> </u>
Fracture Information	Constant -
Pressure and Rate Control	in the second se
Adequate Geologic Information	
Fluid Source	Lied auto In.
Analysis of Injection Fluid	Yes No TDS 8/220
Analysis of Water in Formation to be injected into	Yes No TDS
Known USDW in area	1/180 / Depth 1215
Number of wells in area of rev	iew Brcd. 2 P&A 2
	Water <u>O</u> Inj. <u>4</u>
Aquifer Exemption	Yes NA
. Mechanical Integrity Test	Yes No
÷	DateType
Comments: 10C 5879	
Reviewed by:	

Utah Division of Oil, Gas, and Mining Casing - Bradenhead Test

Operator:

TEXACO INC.

Field/Unit: GREATER ANETH

Well:

F-224

Township: 40S

Range: 24E

Sect:24

API:

43-037-16289

Welltype: INJW

Max Pressure: 2500

Surface Owner: NAVAJO

Lease type: INDIAN

Last MIT Date: 01/14/62

Witness: F

Test Date: 9-20-87

CASING STRING

SIZE

SET AT

PRESSURE

OBSERVATIONS

Surface:

8 5/8

1497

0

Intermediate:

0

Production:

4 1/2

5909

Other:

0

Tubing:

2 3/8

2075


RATE@ 340/day

Packer:

5563

Recommendations: WELL LOCATION SIGN DOWN. OTHERWISE OK

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5



MAY 2 8 1991

Well name and number:S	ee Attached Listing	DIVISION OF OIL GAS & MIN'N
Field or Unit name:		
Well location: QQ section tow		į į
Effective Date of Transfer: 6-1-91	<u> </u>	
CURRENT OPERATOR		
Transfer approved by:		
NameR. S. Lane	CompanyTexaco Inc.	
Signature // Xane	AddressP. O. Box 31	09
Title Attorney-in-Fact	•	
Date	Phone (915) 688-410	00
Fa	00 North Butler armington, NM 87401 005) 325-4397	
Transfer approved by:		
NameR. S. Lane	Texaco Explo	Inc.
Signature Avalue	Address P. O. Box 3	109
TitleAttorney-in-Fact		79702
Date	Phone (915) 688-41	00
Comments: Correspondence Address: To 3:	exaco Exploration and Prodemonds of the Prodemonds of State of Sta	1
(State use only) Transfer approved by	Title MEC	MANAGER
Approval Date 6-26-91		



Texaco Exploration and Production Inc Midland Producing Division

P O Box 3109 Midland TX 79702-3109

May 22, 1991



MAY 2 8 1991

DIVISION OF OIL GAS & MINING

Division of Oil, Gas, and Mining Attn: Ms. Lisha Romero 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

Rl. S. Lane

Assistant Division Manager

RKH/KMM-CC

Attachments

Form 9

ST# OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

6.	Lease	Designat	ion and	Serial	Number

DIVISION OF OIL, GAS AND MININ	7. Indian Allottee or Tribe Name	
SUNDRY NOTICES AND REPORTS O Do not use this form for proposals to drill new wells, deepen existing wells, or to rees Use APPLICATION FOR PERMIT— for such propos	8. Unit or Communitization Agreement	
1. Type of Well X Oil Gas Other (specify) Well Well Other (specify)		9. Well Name and Number
Qil Well Gas Other (specify) 2. Name of Operator Texaco Exploration and Production Inc. 3. Address of Operator	4. Telephone Number	10. API Well Number
3300 North Butler, Farmington, NM 87401	(505) 325-4397	
Footage : QQ, Sec, T., R., M. : See Attached		: UTAH
NOTICE OF INTENT (Submit in Duplicate)	SUBSE	QUENT REPORT Original Form Only)
Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Recompletion Conversion to Injection Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off Other Transfer of Plugging Bond Approximate Date Work Will Start 13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all perting the property of the pull of the pu	Abandonment * Casing Repair Change of Plans Conversion to Injection Fracture Treat Other Change of Date of Work Completion Report results of Multiple Completion on WELL COMPLETION OR REC	New Construction Pull or Alter Casing Shoot or Acidize Vent or Flare Water Shut-Off Operator/Operator Name Petions and Recompletions to different reservoirs COMPLETION AND LOG form. ment verification report.
This submittal is for a change of operator of the new operator, Texaco Exploration and Prosponsibility and liability under its good are by the Department for proper plugging and su contact personnel, office addresses and phone	(name change) for all duction Inc., hereby all sufficient bond of arrace restoration of arrace restoration of the arrace restoration arrace restoration of the arrace restoration arrace r	l of the attached wells. y accepts operating re- r other security accepted f the attached wells. All
FORMER OPERATOR: TEXACO INC.		TEXACO EXPLORATION AND PRODUCTION INC.
SIGNED: Artorney-in-Fact	Assistant Division Manager	
DATE:	DATE:	
14. I hereby certify that the foregoing is true and correct		
Name & Signature	Title Asst	. Div. Manager Date
(State Use Only)		

SUBSECTION IN TRIPLICATES (Commission reverse side)

5. LEASE DESIGNATION IND SERIAL NO.

ATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING

(Do not use this form for proposals to drill or to deepen or plug Use "APPLICATION FOR PERMIT—" for such	ON WELLS	G. IF INDIAN, ALLOTTER OR TRIBE NAME
OIL HAS T	proposite.)	7. UNIT AGREEMENT NAME
WELL WELL OTHER		S. PARM OR LEASE NAME
Texaco Exploration and Production Inc.		6. Fall us Lines 11-1
ADDRESS OF OFFICE	The fact that the same of the	9. WELL NO.
P.O. Box 46510, Denver, CO 80201	Line Market State	<i>:</i>
LOCATION OF WELL (Report location clearly and in accordance with an act also space 17 below.)	ny State requiremental 1991	10. PIBLO AND POOL, OR WILDCAT
	DIVISION OF OIL GAS & MINING	11. ARC., T., B., M., OR BLE. AND SURVEY OR AREA
4. PERMIT NO. 15. SURVATIONS (Show whether	DF. RT. GR. (LG.)	12. COUNTY OR PARISM 18. STATE
Check Appropriate Box To Indicate	Nature of Notice, Report, or	Other Data
NOTICE OF INTENTION TO:		QUEST ABPORT OF:
	WATER SHUT-OFF	REPAIRING WELL
TEST WATER SEUT-OFF PULL OR ALTER CASING FRACTURE TREAT MULTIPLE COMPLETE	PRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE ABANDON®	AMANGEME OF ACIDIZING	*TREMOUNABA
REPAIR WELL CHANGE PLANS	Transfer of	of Owner/Operator
(Other) Transfer of Plugging Bond X 7. DESCRIBE PROPOSED OF COMPLETED OPERATIONS (Clearly state all perti	Completion of Recor	its of multiple completion on Well appletion Report and Log form.)
		1 .1
	Production Inc. hereby di and sufficient bond	rator of subject well. accepts operating or other security
As of January 1, , 19 91, Texaco Inc The New Operator Texaco Exploration and I responsibility and liability under its good accepted by the Commission for proper plugg	. is no longer the Ope Production Inc.hereby I and sufficient bond	rator of subject well. accepts operating or other security
As of January 1, , 19 91, Texaco Inc The New Operator Texaco Exploration and I responsibility and liability under its good accepted by the Commission for proper plugg well.	New Operator:	rator of subject well. accepts operating or other security ration of the subject
As of January 1, 19 91, Texaco Inc The New Operator Texaco Exploration and I responsibility and liability under its good accepted by the Commission for proper plugg well. Former Operator: TEXACO INC. Signed: Attorney/In-Fact	New Operator: Texaco Explor	rator of subject well. accepts operating or other security ration of the subject
As of January 1, 19 91, Texaco Inc The New Operator Texaco Exploration and I responsibility and liability under its good accepted by the Commission for proper plugg well. Former Operator: TEXACO INC.	New Operator: Texaco Explor Signed: Divi	rator of subject well. accepts operating or other security ration of the subject ration and Production Inc.
As of January 1, 19 91, Texaco Inc The New Operator Texaco Exploration and I responsibility and liability under its good accepted by the Commission for proper plugg well. Former Operator: TEXACO INC. Signed: Attorney/In-Fact	New Operator: Texaco Explor	rator of subject well. accepts operating or other security ration of the subject ration and Production Inc.
As of January 1, 19 91, Texaco Inc. The New Operator Texaco Exploration and I responsibility and liability under its good accepted by the Commission for proper pluggwell. Former Operator: TEXACO INC. Signed: Attorney-In-Fact for Texaco Inc. Date: 3/19/	New Operator: Texaco Explor Signed: Date: Date:	rator of subject well. accepts operating or other security ration of the subject ration and Production Inc.
As of January 1, 19 91, Texaco Inc. The New Operator Texaco Exploration and I responsibility and liability under its good accepted by the Commission for proper pluggwell. Former Operator: TEXACO INC. Signed: Attorney-In-Fact for Texaco Inc. Date: 3/191	New Operator: Texaco Explor Signed: Divi	rator of subject well. accepts operating or other security ration of the subject ration and Production Inc.
As of January 1, 19 91, Texaco Inc. The New Operator Texaco Exploration and I responsibility and liability under its good accepted by the Commission for proper pluggwell. Former Operator: TEXACO INC. Signed: Attorney-In-Fact for Texaco Inc. Date: 3/19/	New Operator: Texaco Explor Signed: Date: Date:	rator of subject well. accepts operating or other security ration of the subject ration and Production Inc.

DATE: 05/02	2/91			W E	LLS	ВΥ	0	ΡE	RATUR			•	PAGE. 50
ACCT NUM	COMPANY NAME	FLD NUM	FIELD	NAME	TOWN SHIP	RANGE	SEC	QTR QTR	API NUMBER	PROD ZONE		ENTITY	WELL NAME
NOORO TEVAC	T TNC	265	GREATER	ANETH	\$400	E240	7	SESW	4303715415	PRDX	WIW	99990	WEST ISMAY FED. 2 (ANETH
NO980 TEXACO	J INC	305	GREATER	ANLIII		E240			4303716308			99990	GULF-AZTEC FED. 6 (ANETH
						E240	. 7		4303716100		WIW		NAVAUD FED. 6-1 (ANETH G.
						E240	7		43037.16118		WIW	99990	NAVAJO FEDERAL 7-1 (ANETH
						E240	7	SESE	V4303716322	HRMS	WIW	99990	NAVAJO TRIBE FED 5-1_(ANE
						E240	8		43037.16323			.99990 .	NAVAJO TRIBE L-3 (ANETH H 😅
						E240	8	SWNW	4303716284	DSCR	WIW	99990	NAVAJO FED. 9-1 (ANETH E-
						E240	8	NWSE	V4303716101	PRDX	WIW .	99990	NAVAJO TRIBE L-6 (ANETH G.
					\$400	E240	8	SESW	4 303716298	PRDX	WIW	99990	NAVAJO TRIBE E-13 (ANETH
					\$400	E240	8	SENW	4303716076	HRMS		. 99990	NAVAJO FED. 8-1 (ANETH F
					\$400	E240	8		M303716060		WIW	99990	NAVAJO TRIBE E-15. (ANETH
					\$400	E240	8	SENE	4303716119	HRMS	WIW	99990	NAVAJO TRIBE E-16 (ANETH&
					\$400	E240	8	NWNE	. 4303716305	DSCR	PΑ	99998	NAVAJO TRIBE E-17 (ANETH
					\$400	E240	9		14303716061			99990	NAVAJO TRIBE E-14 (ANETH
					\$400	E240	9		M303716082		WIW	99990	NAVAJO TRIBE E-4 (ANETH F
					5400	E240	10		· -4 303716125			99990	NAVAJO TRIBE E-7 (ANETH Ha
					5400	E240	11		: 4 <u>3</u> 03715944		WIW	99990	NAVAJO A-10/34-11 (ANETH
	•					E240	11		4303715940		WIW	99990	NAVAJO A-11/14-11 (ANETH
						E240	11		14303716295			99990	NAVAJO A-12/23-11 (ANETH
						E240	13	-	14303715941		WIW	99990	NAVAUO A-4/14-13 (ANETH E
						E240	13		14303715938		WIW	99990	NAV TRIBE A-13/12-13 (ANE:
						E240	14		4303715943		WIW	99990	NAVAJO A 6/12-14 (ANETH G
						E240	14		4303715939				NAVAUOA-6/12-14 (ANETH E
						E240	14		43037.15942		.WIW	99990	NAVAJO A-5/23-14 (ANETHEF ANETHEF ANETHEF)
•						E240	14		14303716422		WIW	99990	NAVAJO A-1/34-14 (ANETH G.
•						E240	14		4303715945		WIW -	99990	NAVAJO A-2 (ANETH E-414)
						E240	14		A303716421			99990	NAVAUU A-2 (ANETH E-414)
						E240	14		4303716310			99990	ANETH E-315
						E240	15	NWSW	1∟4303730213 :√4303730312	DECE	WIW	99990	ANETH H-315 &
						E240	15 21	MEDE	4803716122	DDDY	WIW		NAVAJO TRIBE D-7 (ANETH H
						E240 E240	21		4303716330		WIW	99990	NAVAJO TRIBE D-24 (ANETH&
						E240	22		4303730215				ANETH E-122
						E240	22	SENV	4303730373	DSCR	WIW	99990	ANETH F-222
						E240	22	NWS	LA303716067	PRDX	WIW.	99990	NAVAJO TRIBE D-19 (ANETH)
•						E240	22	NENE	4303716117	PRDX	WIW	99990	
						E240	22	NWNE	4303730425	IS-DC	WIW	99990	ANETH G-122
						E240	22		4303720231			99990	ANETH G-322X
						E240	22		4303730242			99990	ANETH H-222 🐷
0.244				'		E240	23	SENE	4303716123	PRDX	WIW	99990	NAVAJO TRIBE C-8 (ANETH H
						E240	23	SESE	-4303716128	PRDX	WIW	99990	NAVAJO TRIBE C-3 (ANETH, H -
					\$400	E240	23	SENV	14303716079	PRDX	WIW	99990	NAVAJO TRIBE C-7 (ANETH F
					\$400	E240	23	NWNE	V4303716306	DSCR	WIW	99990	NAVAJO TRIBE C-1 (ANETH G
						E240	23	SESV	1-43037.16086	PRDX	WIW		_NAVAJO TRIBE C-17 (ANETH
					C 400	E 0.40	0.3	A LET N IS	11 4202720225	75-00	WIW	aaaan	ANETH F-123. 6



\$400 E240 23 NENWL4303730235 IS-DC WIW

\$400 E240 24 SENW-4303716289 PRDX WIW \$400 E240 24 NWSW-4303716069 PRDX WIW



99990 ANETH F-123 . #

99990 NAVAJO TRIBE C-16 (ANETH

99990 NAVAJO TRIBE C-10 (ANETH

	OF UIT, GAS A OR CHANGE HO									ing:
· ·			by the division	regarding	this change.	`	<i>الب</i>			LÉR/GIL V
			oleted. Write N	-	-	cable.				LC L
-	ge of Opera gnation of (sold)		gnation of ator Name		Only		5_ R	CR CE
The ope	erator of th	ne well(s)	listed belo	w has cha	nged (EFFE	CTIVE DA	ATE:	1-1-91)	,
	(TEXA) operator)	ACO EXPLOR	ATION AND PRO	DUCTION I	NC.) ROM (forme			TEXACO II	NC.	
. Thew	(address)	3300 NORT	H BUTLER		NON (101me	(addre	ess)	3300 NOR	TH BUTLE	ZR
		FARMINGTO BRENT HEL	N, NM 87401 OUTST					FARMINGTO FRANK	ON, NM	87401
		phone (50	5) 325–4397					phone (5		
		account n	o. <u>N 5700 (</u>	<u>5-5-9</u> 1)				account i	no. <u>N</u>	1980
Hell(s)) (attach addi	tional page	if needed):							
Name:	(SEE ATTACH	ED)	API:	Fn	titv:	Sec	Twn	Rna	lease	Tyne:
Name:_			API:	En	tity:	Sec	Twp	Rng	_ Lease	Type:
Name:_			API:	En	tity:	Sec	Twp	Rng	_ Lease	Type:
			API: API:			2ec	IWP	Kng	_ Lease	Type:
			API:							
			API:							
N/A 2.	Operator (Alle R615 (Attach to	Attach to -8-10) Sur this form		5-28-91)	ocumentatio	on has b	oeen 1	رر ⁽ received	from <u>ne</u>	<u>ew</u> operator
	ves. show	with motified	ommerce has b in Utah. I le number: ±		, , , , , , , , , , , , , , , , , , , ,	he new c ed with	opera the	tor above state? (yes not	t currently If
Lef4.	(attach Te comments s changes sho	elephone ection of ould take	deral Hells Documentation this form. place prior	Form to Managem to comple	o this re ent review tion of st	eport). v of Fed tens 5 t	Mak deral hroug	e note and Ind h 9 belo	of BLM lian wel w.	status in l operator
Α			ntered in the				Syste	m (Wang/	IBM) for	each well
			n updated for							
FCE 7.	Well file	labels hav	ve been updat	ed for ea	ch well li	isted ab	ove.	(will update	when fili	ngi
W _	Changes ha	ve been i	ncluded on t State Lands	he monthl	y "Operate	or, Addr				
fer 9.		nas been s re for re	et up for th ference durin	e Operato g routing	or Change and proce	file, an essing o	nd a of the	copy of origina	this pag 1 docum	je has been ents.
				- O\	/ER	·				

Division of Oil, Gas and Mining OPERATOR CHANGE HORKSHEET

RATOR CHANGE WORKSHEET (CONTINUED) Initia_ach item when completed. Write N/A i_tem is not applicable.
TITY REVIEW
(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes (no) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form).
A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
D VERIFICATION (Fee wells only)
Q1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond. #K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
42. A copy of this form has been placed in the new and former operators' bond files.
#3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19 # m157448 80,000-Ins.Cb. of N. America.
ASE INTEREST OHNER NOTIFICATION RESPONSIBILITY
Al. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
Copies of documents have been sent to State Lands for changes involving State leases. $(-27-9)$
LMING
1. All attachments to this form have been microfilmed. Date: July 15 1991.
LING
ul. Copies of all attachments to this form have been filed in each well file.
#2. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operato ^{**} Change file.
MHENTS
910/00/2 Bfm / Farming fon N.M Duane Spencer (505) 327-5344 will follow up & call back
910/00% Blm / Farming fon N.M Duane Spencer (505) 327-5344 will follow up & Call back 410/007 Blm / Farming fon - Approved 4-2-91 "Company Musger" Includes Aneth Unit
and Ismay Flodine Unit.
and Ismay Flodine Unit. 910/007 St. Lands approved 4-15-91 "Merger".
71/34-35

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135

Expires: March 31, 1993 5. Lease Designation and Serial No.

I-149-IND-8838

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

6. If Indian, Allottee or Tribe Name Navajo Tribal

7. If Unit or CA, Agreement Designation

1. Type of Well		Aneth Unit				
Oil Well Well Wother Injection Well		8. Well Name and No.				
2. Name of Operator	F224					
Texaco Exploration & Production Inc.	9. API Well No.					
3. Address and Telephone No.		4303716289				
3300 N. Butler, Farmington N.M. 874	101 (505)325-4397	10. Field and Pool, or Exploratory Area				
4. Location of Well (Footage, Sec., T., R., M., or Survey Descript						
1980' FNL & 1980' FWL		11. County or Parish, State				
SE/4, NW/4, Sec. 24, T40S, R24E		•				
, , , , , , , , , , , , , , , , , , , ,		San Juan, Utah				
CHECK APPROPRIATE BOX(s) TO	O INDICATE NATURE OF NOTICE, F	REPORT, OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF AC	OTION				
Notice of Intent	Abandonment	Change of Plans				
Tronce of Intelli	Recompletion	New Construction				
Subsequent Report	Plugging Back	Non-Routine Fracturing				
ZES Subsequent Report	Casing Repair	Water Shut-Off				
Final Abandonment Notice	Altering Casing	Conversion to Injection				
That Additional Notice	X Other Clean Out	Dispose Water				
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)				
MIRUSU. Pulled packer. TIH w/ work workstring. Hydro-tested TBG in hole. OPut on injection.						
Tut on injection.	• *	The state of the s				
14. I hereby certify that the foregoing is true and correct Signed	AT Title Area Manager	Date \sqrt{3/03/94}				
(This space for Federal or State office use)		- The Colod to				
Approved by	Title	Date UK COU				
Conditions of approval, if any:		•				

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements

or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

Subsequent Report

Final Abandonment Notice

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

	F	DRM	A	PPR(OV	ED	
Bu	dget	Bun	EQU	No.	10	04-0	135
	Expi	res:	M	urch	31.	1993	

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

Non-Routine Fracturing

Conversion to Injection

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

Water Shut-Off

I-149-IND-8838

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir Use "APPLICATION FOR PERMIT—" for such proposals

Navajo Tribal

SUBMIT	7. If Unit or CA, Agreement Designation	
1. Type of Well		Aneth Unit
Oil Gas Well Other Injection W	Vell	8. Well Name and No.
2. Name of Operator		F224
Texaco Exploration & Production I	nc.	9. API Well No.
3. Address and Telephone No.		4303716289
3300 N. Butler, Farmington N.M.	87401 (505)325-4397	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey De	Desert Creek	
1980' FNL & 1980' FWL		11. County or Parish, State
SE/4, NW/4, Sec. 24, T40S, R24	Æ	
527, 11777, 500. 27, 1705, 12.	~	San Juan, Utah
2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REF	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	NC
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Plugging Back

Casing Repair

Altering Casing

Other Clean Out

Texaco E. & P. Inc. has cleaned out the wellbore in the subject well. The following procedure was followed:

MIRUSU. Pulled packer. TIH w/ workstring. Cleaned out 170' of fill w/ scraper to PBTD @ 5879'. Laid down workstring. Hydro-tested TBG in hole. Circulated. Pressure tested. Held. RIH w/ injection equipment. RDMOL. Put on injection.



DIVISION OF OIL, GAS & MINING

I hereby certify that the foregoing is true and correct Signed 747	Title Area Manager	
(This space for Federal or State office use)		
Approved byConditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, lictitious or fraudulent statement or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135


Expires: March 31, 1993

nation and Serial No. I-149-IND-8838 ttee or Tribe Name BE
Agreement Designation
ind Number ANETH UNIT
F224
4303716289
ool, Exploratory Area EK
Parish, State SAN JUAN , UTAH
her Data
ON .
Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water Note: Report results of multiple completion on Well Completion or Recompletion Report and Log Form.)

***** THIS SUNDRY REPORT IS FOR UTAH SEVERANCE TAX CALCULATION INFORMATION PURPOSES ONLY *****

TEXACO E&P INC. HAS CLEANED OUT AND ACIDIZED THE SUBJECT WELL

2-5-96 MIRU, TIH W/ COILED TBG, TAGGED FILL @ 5700', CLEANED OUT TO 5682', ACIDIZED W/ 1500 GALS 28% NEFE, POOH, RDMO, PLACED WELL ON INJECTION



	DIV. OF OIL, GAS & MINING
14. I hereby certify that the foregoing is true and complete	
	enior Engineer OLI Man. DATE 12/3/97
TYPE OR PRINT NAME Rached Hindi	
(This space for Federal or State office use)	
APPROVED CONDITIONS OF APPROVAL, IF ANY:TITLE	DATE
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to a representations as to any matter within its jurisdiction.	any department or agency of the United States any false, fictitious or fraudulent statements or
110 Fax (redit 10/98	



Chevron U.S.A. Production Company Mid-Continent Business Unit P.O. Box 36366 Houston, TX 77236 Phone 713 754 2000

April 9, 2002

Mr. John Baza,
Associate Director of Oil and Gas
Utah Department of Natural Resources
Division of Oil, Gas & Mining
1594 W. North Temple St., Suite 1210
Salt Lake City, UT 84114-5801

APPLY 2002

APPLY 2002

APPLY APPLY MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

Don R. Sellars

Sr. Environmental Specialist

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	!	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	Α	WI
N 5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	1	WI
N 5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	Α	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	Α	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	Α	WI
N 5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	Α	WI
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	Α	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	Α	WI
N5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	Α	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	Α	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	Α	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	Α	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	Α	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	Α	WI
N5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	Α	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	Α	WI
N5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	Α	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	Α	WI
N5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	Α	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	Α	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	Α	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	Α	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	Α	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	Α	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	Α	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	Α	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	A	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	1	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	A	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	A	WI

Name / Operatorship Change Texaco Exploration and Production Inc. to Chevron U.S.A. Inc.

Injection Wells

Account						Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	07	400S	240E	4303730175	ANETH U E407	1	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	Α	WI
N5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	Α	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)	2	Α	WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	Α	WI
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	Α	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	Α	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	Α	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	Α	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	Α	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	Ti	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	Α	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	Α	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	Α	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	Α	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2	Α	WI
N5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)	2	Α	WI
N 5700	14	400S	240E	4303715942	ANETH F-314	2	Α	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	Α	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	Α	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	Α	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	Α	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	Α	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	I	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	Α	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	Α	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	Α	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	Α	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	Α	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	Α	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	Α	WI

Account						Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N 5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	Α	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	Α	WI
N5700	16	400S	240E	4303730094	ANETH E-316	3	Α	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	Α	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	Α	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	Α	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	Α	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	Α	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	Α	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	Α	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	Α	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	Α	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	Α	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	Α	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	Α	WI
N5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	Α	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	Α	WI
N5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	Α	WI
N5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	Α	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	Α	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	Α	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	Α	WI
N5700	18	400S	240E	4303730137	ANETH U E218	1	Α	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	Α	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	Α	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	Α	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	Α	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	Α	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	Α	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	Α	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	Α	WI

Account						Lease	Well Status	Well Type
	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	Α	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	Α	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	Α	WI
N5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	Α	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	Α	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	Α	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	Α	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	Α	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	Α	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	Α	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	Α	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	Α	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	Α	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	Α	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	Α	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	Α	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	Α	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	1	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	Α	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	Α	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	Α	WI
N5700	22	400S	240E	4303730373	ANETH F-222	2	Α	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	Α	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	Α	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	Α	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	Α	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	Α	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	Α	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	Α	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	Α	WI

Account						Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	A	WI
N 5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	Α	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	Α	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	Α	WI
N5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	Α	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	Α	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	Α	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	Α	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	Α	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	Α	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	Α	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	Α	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	Α	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	Α	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	Α	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	Α	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	Α	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	Α	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	Α	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	1	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	Α	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	Α	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	Α	WI
N 5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	Α	WI
N 5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2	Α	WI
N 5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)	2	Α	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	Α	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	Α	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	Α	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	2	1	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	Α	WI

Account						Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	A	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	I	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	Α	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	Α	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	Α	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	Α	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	Α	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	Α	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	Α	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	Α	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	Α	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	Α	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	Α	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	Α	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	Α	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	Α	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	Α	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	Α	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	Α	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	Α	WI

STATE OF UTAH **DEPARTMENT OF NATURAL RESOURCES**

DIVISION OF OIL, GAS AND MINING ...,

TRANSFER OF AUTHORITY TO INJECT								
Well Name and Number Orangeville & Huntington, Emery County, Utah (Se	e Attached Well List)	API Number						
Location of Well		Field or Unit Name						
Footage: See attached well locations	County : Emery	See Attached Well List Lease Designation and Number						
QQ, Section, Township, Range:	State: UTAH	See Attached Well List						

EFFECTIVE DATE OF TRANSFER: 5/1/2002

CURRENT OF	PERATOR		
Company:	Texaco Exploration and Production Inc	Name:	Althen S. Robinson
Address:	3300 North Butler, Suite 100	_ _ Signature:	alles Polices
	city Farmington state NM zip 87401	Title:	Attorney-In-Fact
Phone:	(505) 325-4397	Date:	April 30, 2002
Comments:			

NEW OPERATOR Chevron U.S.A. Inc. Company: Name: P.O. Box 36366 Address: Signature: city Houston state TX zip 79702 Title: (915) 687-2000 Phone: May 1, 2002 Date: Comments:

(This space for State use only)

Transfer approved by:

Approval Date: 10/21/02

Comments:

RECEIVED

MAY 0 6 2002

DIVISION OF OIL, GAS AND MINING

ST. OF UTAH

DEPARTMENT OF NATURAL RESOURCES	"Maker of
DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: See Attached List of Wells
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: BLM & State of Utah
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter proposals.	7. UNIT or CA AGREEMENT NAME: Orangeville & Huntington
OIL WELL GAS WELL OTHER Operator Name Cha	singe 8. WELL NAME and NUMBER: See Attached List of Wells
2. NAME OF OPERATOR:	9. API NUMBER:
Chevron U.S.A. Inc.	
3. ADDRESS OF OPERATOR: P.O. Box 36366 CITY Houston STATE TX ZIP 77236 (281)	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL	
FOOTAGES AT SURFACE: See Attached List of Wells	COUNTY: Emery
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NO	TICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF	
C ACIDIZE C DEEDEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate) ACIDIZE ACIDIZE ACIDIZE FRACTURE TREAT	SIDETRACK TO REPAIR WELL
CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK (Submit Original Form Only)	WATER DISPOSAL
Date of work completion: - CHANGE WELL STATUS PRODUCTION (START)	
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WE	
CONVERT WELL TYPE RECOMPLETE - DIFFE	Change (Merger)
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including da Effective May 1, 2002, Chevron U.S.A. Inc. is the new operator of the attached previously operated by Texaco Exploration and Production Inc. The subject wo of Huntington, Emery County, Utah. These Wells will be protected by the follow.	l list of subject wells and leases that were ells are located North of Orangeville and North
STATE OF UTAH Bond #: 103521627-0016 in the amount of \$80,000. (This to Company bond number U89-75-80-0059. We respectfully request this bond be	
BLM Nationwide Bond#: U89-75-81-0034 in the amount of \$300,000.	
Key Contacts:	RECEIVED
Ron Wirth - Operations Supervisor - 435 748-5395 x1 Texaco Exploration & Production Inc.	MAY 0 6 2002
J. Purdy, Attorney-In-Fact	DIVISION OF OIL, GAS AND MINING
NAME (PLEASE PRIM) Allen S. Robinson TITLE Att	torney—In—Fact
SIGNATURE UPLICATION DATE ADJ	ril 30, 2002

(This space for State use only)



MINERALS DEPARTMENT
Post Office Box 1910
Window Rock, Arizona 86515

Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE PRESIDENT TAYLOR McKENZIE, M.D. VICE PRESIDENT

October 11, 2002

Mr. Don Sellars Regulatory Specialist ChevronTexaco 11111 S. Wilcrest Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

1)	I-149-IND-8834	6)	I-149-IND-8839	11)	14-20-603-4035
2)	I-149-IND-8835	~,	14-20-603-2057	12)	14-20-603-4037
-,	' '	,	14-20-603-2059	13)	14-20-603-5043-A
-,	I-149-IND-8836		14-20-603-4030-A	,	14-20-603-5446
4)	I-149-IND-8838	-,		- '/	., 20 000 0 110
51	I-149-IND-8839-A	10)	14-20-603-4032		

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman, Director Minerals Department

Attachments AZ/GLB/cab

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH 2. CDW 3. FILE

Change of Operator (Well Sold)

5. If **NO**, the operator was contacted contacted on:

Designation of Agent

Operator Name Change

X Merger

The operator of the well(s) listed below has change	ed, effective:	05-01-2002				
FROM: (Old Operator):		TO: (New Op	erator):			
TEXACO EXPLORATION & PRODUCTION INC		CHEVRON US	A INC			
Address: 3300 NORTH BUTLER, STE 100		Address: P O B	OX 36366			
FARMINGTON, NM 87401		HOUSTON,TX	79702			
Phone: 1-(505)-325-4397		Phone: 1-(915)	-687-2000	****		
Account No. N5700		Account No.	N0210			
CAN	No.	Unit:	ANETH			
WELL(S)						
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
ANETH F-123	23-40S-24E	43-037-30235	99990	INDIAN	WIW	A
NAVAJO TRIBE C-13 (ANETH F-424)	24-40S-24E	43-037-16087	99990	INDIAN	WIW	Α
NAVAJO TRIBE C-10 (ANETH E-324)	24-40S-24E	43-037-16069	99990	INDIAN	WIW	A
NAVAJO TRIBE C-15 (ANETH G-324)	24-40S-24E	43-037-16111	99990	INDIAN	WIW	A
NAVAJO TRIBE C-16 (ANETH F-224)		43-037-16289		INDIAN	WIW	A
NAVAJO TRIBE C-28 (ANETH H-424)	24-40S-24E	43-037-16331	99990	INDIAN	WIW	A
NAVAJO TRIBE C-21 (ANETH E-325)	25-40S-24E	43-037-16070	99990	INDIAN	WIW	A
NAVAJO TRIBE C-20 (F-225)	25-40S-24E	43-037-16080	7000	INDIAN	WIW	A
ANETH UNIT G-125	25-40S-24E	43-037-16095	99990	INDIAN	WIW	A
NAVAJO TRIBE C-11 (ANETH H-225)	25-40S-24E	43-037-16124	11883	INDIAN	WIW	A
NAVAJO TRIBE C-24 (ANETH H-425)	25-40S-24E	43-037-16129	99990	INDIAN	WIW	A
NAVAJO TRIBE C-32 (ANETH F-425)	25-40S-24E	43-037-16301	99990	INDIAN	WIW	A
NAVAJO TRIBE C-4 (ANETH F-426)	26-40S-24E	43-037-16302	99990	INDIAN	WIW	Α
NAVAJO TRIBE C-29 (ANETH E-126)	26-40S-24E	43-037-16054	99990	INDIAN	WIW	A
NAVAJO TRIBE C-30 (ANETH E-326)	26-40S-24E	43-037-16071	7000	INDIAN	WIW	A
NAVAJO TRIBE C-27 (ANETH G-326)		43-037-16113		INDIAN	WIW	A
NAVAJO TRIBE C-23 (ANETH F-226)		43-037-16290		INDIAN	WIW	A
NAVAJO TRIBE C-19 (ANETH H-226)		43-037-16316		INDIAN	WIW	A
NAVAJO TRIBE C-31 (ANETH H-426)	26-40S-24E	43-037-16332	99990	INDIAN	WIW	A
ANETH G-126X	26-40S-24E	43-037-30372	99990	INDIAN	WIW	A
OPERATOR CHANGES DOCUMENTATIO Enter date after each listed item is completed 1. (R649-2-10) Sundry or legal documentation was received.	N			05/06/2002		ĮA
 (R649-2-10) Sundry or legal documentation was received. The new company has been checked through the Depa 	ved from the NEV	V operator on:	04/12/200	2	_	10/16/200
4. Is the new operator registered in the State of Utah:	YES	Business Numl		564408-014		
	> T / A					

N/A

6. (R649-9-2)Waste Management Plan has been received of	n: IN PLACE		
7. Federal and Indian Lease Wells: The BLM or operator change for all wells listed on Federal or Indian Lease Wells.			
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit	operator for wells listed on:	10/11/2002	نتخججين
 Federal and Indian Communization Agree The BLM or BIA has approved the operator for all versions. 		N/A	
10. Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the enhanced secondary recovery	• • • • • • • • • • • • • • • • • • • •	On: 10/21/2002	:t,
DATA ENTRY:			
1. Changes entered in the Oil and Gas Database on:	10/24/2002		
2. Changes have been entered on the Monthly Operator	Change Spread Sheet on:	10/24/2002	
3. Bond information entered in RBDMS on:	N/A		
4. Fee wells attached to bond in RBDMS on:	N/A		
STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number:	N/A		
FEDERAL WELL(S) BOND VERIFICATIO 1. Federal well(s) covered by Bond Number:	N: N/A		
INDIAN WELL(S) BOND VERIFICATION: 1. Indian well(s) covered by Bond Number:	8975810026		
FEE WELL(S) BOND VERIFICATION: 1. (R649-3-1) The NEW operator of any fee well(s) lister	ed covered by Bond Number	N/A	
2. The FORMER operator has requested a release of liab The Division sent response by letter on:	ility from their bond on: N/A	N/A	
LEASE INTEREST OWNER NOTIFICATION 3. (R649-2-10) The FORMER operator of the fee wells be of their responsibility to notify all interest owners of the	nas been contacted and informed nis change on: N/A		
COMMENTS: Chevron USA Inc merged with Texa although all the Utah operations will be operated	co Exploration & Production	on Inc to form ChevronTexaco Inc	
aithough an the otah operations will be operated	by onevion ook inc.		
	· · · · · · · · · · · · · · · · · · ·		

,

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OU. GAS AND MINING

	DIVISION OF OIL, GAS AND MI	NING		5. LEASE DESIGNATION AND SERIAL NUMBER: See Attachment
SUNDRY	NOTICES AND REPORTS	S ON WELLS		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo
Do not use this form for proposals to drill n drill horizontal is	new wells, significantly deepen existing wells below cun sterals. Use APPLICATION FOR PERMIT TO DRILL fi	rent bottom-hole depth, re orm for such proposals.	enter plugged wells, or to	7. UNIT OF CA AGREEMENT NAME: Aneth Unit
1. TYPE OF WELL OIL WELL	GAS WELL OTHER	njection wells		8. WELL NAME and NUMBER: See Attachment
2. NAME OF OPERATOR:	110765			9. API NUMBER:
Resolute Natural Resource	ces Company N2700			See Attach
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CIT	y Denver STATE CO ZIP		ONE NUMBER: 103) 534-4600	10. FIELD AND POOL, OR WILDCAT: Desert Creek
4. LOCATION OF WELL FOOTAGES AT SURFACE: See A	ttachment			course Son Ivan
FOOTAGES AT SURFACE: 399 A	ttaoi ii ii oi it			COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RAN	IGE, MERIDIAN:			STATE: UTAH
11. CHECK APPL	ROPRIATE BOXES TO INDICAT	E NATURE OF	NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE	OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE TRE	AT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR	NEW CONSTRU	CTION	TEMPORARILY ABANDON
	CHANGE TO PREVIOUS PLANS	OPERATOR CHA	NGE	TUBING REPAIR
	CHANGE TUBING	PLUG AND ABAN	NDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION (S	START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	RECLAMATION	OF WELL SITE	✓ OTHER: Change of Operator
	CONVERT WELL TYPE	RECOMPLETE -	DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR CO	OMPLETED OPERATIONS. Clearly show all p	pertinent details includi	ng dates, depths, volume	es, etc.
As of December 1, 2004, Natural Resources Comp	Chevron U.S.A. Inc. resigned as any.	Operator of the	Aneth Unit. The	successor operator is Resolute
NAME (PLEASE PRINT)	set lasque	TITLE _	Vice Pre 11/30/00	sident
SIGNATURE CALL	lonaul	DATE	11/30/00	4

This space for State use only)

APPROVED 12/29/2004 EL

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician

S E OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

	L	DIVISION OF OIL, GAS A	AND MINING		See attached exhibit.
	SUNDRY	NOTICES AND REP	PORTS ON W	ELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
					Navajo 7. UNIT or CA AGREEMENT NAME:
Do i	not use this form for proposals to drill ne drill horizontal lat	ew wells, significantly deepen existing we sterals. Use APPLICATION FOR PERMIT	ils below current bottom-he TO DRILL form for such p	le depth, reenter plugged wells, or to roposals.	Aneth Unit
1. T	OIL WELL	GAS WELL G	OTHER See attac	hed exhibit.	8. WELL NAME and NUMBER:
2. N	AME OF OPERATOR:				See attached exhibit. 9. API NUMBER:
	solute Natural Resource	es Company			See attached exhibit.
	DDRESS OF OPERATOR: 75 Broadway, Suite 1950 CITY	Y Denver	CO _{zip} 80202	PHONE NUMBER: (303) 534-4600	10. FIELD AND POOL, OR WILDCAT: Aneth
	OCATION OF WELL	STATE STATE	CO ZIP 80202	(303) 334-4600	Alletti
F	OOTAGES AT SURFACE:				county: San Juan
Q	TR/QTR, SECTION, TOWNSHIP, RAN	IGE, MERIDIAN:			STATE: UTAH
11.	CHECK APPR	ROPRIATE BOXES TO II	NDICATE NATU	RE OF NOTICE, REPO	ORT, OR OTHER DATA
	TYPE OF SUBMISSION			TYPE OF ACTION	
	NOTICE OF INTENT	ACIDIZE	DEE	PEN	REPERFORATE CURRENT FORMATION
	(Submit in Duplicate)	ALTER CASING	FRA	TURE TREAT	SIDETRACK TO REPAIR WELL
	Approximate date work will start:	CASING REPAIR	☐ NEW	CONSTRUCTION	TEMPORARILY ABANDON
		CHANGE TO PREVIOUS PLANS	S DOPE	RATOR CHANGE	TUBING REPAIR
		CHANGE TUBING	PLU	AND ABANDON	VENT OR FLARE
	SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLU	BACK	WATER DISPOSAL
	Date of work completion:	CHANGE WELL STATUS	PRO	DUCTION (START/RESUME)	WATER SHUT-OFF
	·	COMMINGLE PRODUCING FOR	RMATIONS REC	AMATION OF WELL SITE	отнея: Change of operator
		CONVERT WELL TYPE	REC	OMPLETE - DIFFERENT FORMATION	
As ha	s of December 1, 2004, (as been elected the succ	Chevron U.S.A. Inc. resignessor operator.	ned as operator	of the Aneth Unit. Resc	Plute Natural Resources Company RECEIVED
					DEC 2 2 2004
					DIV. OF OIL, GAS & MINING
	·				
NA!	ME (PLEASE PRINT) Chevron U	U.S.A. Inc.	10210	TITLE A. E. Wacker, A	ttorney-in-Fact
	_	Wackey		12/20/2004	·
(This	space for State use only)			APPRO S.P.	ED 12/24/2004
				Division of C Earlene Russ	Dil, Gas and Mining sell, Engineering Technician

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS AND MINING

Il Name and Numbee attached exattached exa		· · · · · · · · · · · · · · · · · · ·	API Number See attached exhibit.	
Footage :				
			Field or Unit Name	
QQ, Section, Tow		County : San Jua	Aneth Unit Lease Designation and Number	
	vnship, Range:	State: UTAH	See attached exhibit.	
FECTIVE DAT	E OF TRANSFER: 12/1/2004			
RRENT OPER	ATOR NO210			
Company: Cl	hevron U.S.A. Inc.	Name:	A. E. Wacker	
Address: 11	11 Bagby St.	Signature:	a.E. Wacter	
city	Houston state TX zip 77002	Title:	Attorney-in-Fact	
Phone: (7	13) 752-6000	Date:	12/20/2004	
Comments:				
W OPERATOR			DEC 2 2 2	
	N270	o o	DIV. OF OIL, GAS &	MINI
Company: Re	esolute Natural Resources Company	Name:	Janet Parque Xt	
Address: 16	375 Broadway, Suite 1950	Signature:	// 1-// 1	
<u>cit</u> y	Denver state CO zip 80202	Title:	Vice besident	
Phone: (3	03) 534-4600 X+	Date:	12/21/04	
Comments:				
s space for State Transfer approv		. Approval C	Date: 12-29-04	
Comment	Title: VIC Geologist. Is: Trasfer y Authorty to Inject on this office receiving on the pull. Both mell Aneth 214	into the	Anoth CZIH and Holy	/1 D
Common	I TO Y II . Illy vections	n corrective	e action from	

<u> </u>		1	T	<u> </u>	T				Status	f in the second		
NUM	API_NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE			40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	R24E	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413			18	T40S		660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	sw	7	T40S		660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485			36	T40S		660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S	R23E	4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S	R24E	2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S	R24E	1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S	R24E	500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S	R24E	660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980'FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW	SE	11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035	SW	SE	14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038	NE	<u> </u>			R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049	NW		17		R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050	NW					660' FNL/660' FWL	I-149-IND-8836	Active	E120	E120	Navajo Nation
E121	4303716051	NW					660' FNL/760' FWL	I-149-IND-8836	Active	E121	E121	Navajo Nation
E126	4303716054	NW		26				I-149-IND-8838	Active	E126	E126	Navajo Nation
E129	4303716055	NW		29			660' FNL/660' FWL	14-20-603-4030	Active		E129	Navajo Nation
E308	4303716060	NW		8	T40S	R24E	1820' FSL/645' FWL	I-149-IND-8833	Active	E308	E308	Navajo Nation
E309	4303716061	NW			T40S	R24E	1900' FSL/500' FWL	I-149-IND-8834	P/A			Navajo Nation
E317	4303716062	NW	SW	17	40S	24E		I-149-IND-8835	Active	E317	E317	Navajo Nation
E318	4303716063	NW						SL-067807	Active	E318	E318	Navajo Nation
E319	4303716064		SW			R24E	2040' FSL/680' FWL	I-149-IND-8836	P/A			Navajo Nation
E320	4303716065		SW					I-149-IND-8836	Active		E320	Navajo Nation
	4303716066		SW					I-149-IND-8836			E321	Navajo Nation
	4303716067							I-149-IND-8836			E322	Navajo Nation
	4303716068	NW						I-149-IND-8838			E323	Navajo Nation
	4303716069	NW						I-149-IND-8838			E324	Navajo Nation
	4303716070	NW						I-149-IND-8838			E325	Navajo Nation
	4303716071	NW									E326	Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL	I-149-IND-8834	Active	F115	F115	Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24E	2140' FNL/2050' FWL	I-149-IND-8833	Active	F208	F208	Navajo Nation
F219	4303716077	SE		19	T40S			I-149-IND-8836	Active	F219	F219	Navajo Nation
F221	4303716078	SE		21	T40S			I-149-IND-8836	Active	F221	F221	Navajo Nation
F223	4303716079	SE		23	T40S			I-149-IND-8838	Active	F223	F223	Navajo Nation
F225	4303716080	SE		25	T40S			I-149-IND-8838	Active	F225	F225	Navajo Nation
F409	4303716082	SE	sw	9	T40S		660' FSL/1980' FWL	I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE		21	T40S		585' FSL/1990' FWL	I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	sw	22	T40S		660' FSL/1980' FWL	I-149-IND-8836	Active	F422	F422	Navajo Nation
F423	4303716086	SE	SW	23	T40S		770' FSL/1955' FWL	I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S		660' FSL/2100' FWL	I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S		660' FNL/1980' FEL	I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	-	800' FNL/1910' FEL	I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E	660' FNL/1980' FEL	I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S	R24E	660' FNL/2140' FEL	I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S	R24E	580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E	1900' FSL/1995' FEL	SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E	1975' FSL/1830' FEL	I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E	1778' FSL/1900' FEL	I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S	R24E	2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G318	Navajo Nation
G320	4303716105	NW	SE	20	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S	R24E	1980' FSL/1980' FEL	I-149-IND-8838	Active	G326	G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S	R24E	820' FSL/2400' FEL	I-149-IND-8834	Active	G415	G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S	R24E	660' FNL/660' FEL	I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S	R24E	1820' FNL/820' FEL	SL-067807	T/A			State of Utah
H208	4303716119	SE	NE	8	T40S	R24E	2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	Navajo Nation
H218	4303716120	SE	NE	18	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S	R24E	1945' FNL/607' FEL	I-149-IND-8836	Active	H219	H219	Navajo Nation
H221	4303716122	SE	NE	21	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8836	Active	H221	H221	Navajo Nation
H223	4303716123	SE	NE	23	T40S	R24E	1820' FNL/730' FEL	I-149-IND-8838	Active	H223	H223	Navajo Nation
H225	4303716124	SE	NE	25	T40S	R24E	1980' FNL/660' FEL	I-149-IND-8838	Active	H225	H225	Navajo Nation
H410	4303716125	SE	SE	10	T40S		625' FSL/545' FEL	I-149-IND-8834	P/A			Navajo Nation
H422	4303716127	SE	SE	22	T40S	R24E	^660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128	SE	SE	23	T40S		820' FSL/450' FEL	I-149-IND-8838	Active	H423	H423	Navajo Nation
H425	4303716129	SE		25	T40S		660' FSL/660' FEL	I-149-IND-8838	Active	H425	H425	Navajo Nation
J129	4303716131	NW	_	29	T40S		620' FNL/615' FWL	I-149-IND-8839	P/A			Navajo Nation
J130	4303716132			30	T40S		720' FNL/590' FEL	I-149-IND-8839	Shut-In		J130	Navajo Nation
	4303716134	NW		30				I-149-IND-8839	Active		J330	Navajo Nation
K230	4303716135		NW					I-149-IND-8839	Shut-In		K230	Navajo Nation
	4303716137			30				I-149-IND-8839		K430	K430	Navajo Nation
	4303716139			30	T40S			I-149-IND-8839	Active	L330	L330	Navajo Nation
	4303716140			19	T40S		·-	I-149-IND-8839	Active	L419	L419	Navajo Nation
	4303716141			30	T40S			I-149-IND-8839	Active	M230	M230	Navajo Nation
	4303716222			28	T40S		660' FNL/660' FWL	14-20-603-2056	Active	E128	E128	Navajo Nation
	4303716223		NW		T40S		1980' FNL/1980' FWL		T/A			Navajo Nation
G128	4303716224	NW	NE	28	T40S	R24E	660' FNL/1980' FEL	14-20-603-2056	Shut-In	G128	G128	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24F	2080' FNL/560' FEL	14-20-603-2056	T/A			Navajo Nation
A124	4303716270	NW		24	T40S		500' FNL/500'FWL	SL-0701010-C	Active	 		State of Utah
B123	4303716271	NE	1	23	T40S			SL-0701010	Active			State of Utah
B312	4303716272	NE	sw	12	T40S			SL-070968-A	Active	B312	B312	Navajo Nation
B314	4303716273	NE	SW	14	T40S	_		SL-070968	Active			State of Utah
C112	4303716274		NE	12	T40S		4	SL-070968-A	P/A			State of Utah
C124	4303716275	NW	NE	24	T40S	R23E		SL-0701010-C	P/A			State of Utah
C223	4303716276	sw	NE	23	T40S	R23E		SL-0701010	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E		SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	1860' FNL/656' FEL	SL-070968-A	Shut-In	D212	D212	Navajo Nation
D413	4303716279	SE	SE	13	T40S	R23E		SL-070968-A	Active			State of Utah
E119	4303716280	NW	NW	19	T40S		500' FNL/820' FWL	I-149-IND-8836	Active	E119	E119	Navajo Nation
E207	4303716283		NW	7	T40S		2030' FNL 750 FWL	,	T/A	E207	E207	
E208	4303716284	sw	NW	8	T40S		1930' FNL/500' FWL	I-149-IND-8833	T/A			Navajo Nation
F116	4303716285	NE		16	T40S	R24E	<u> </u>	ML-3156	Active	F116	F116	Navajo Nation
F217	4303716286	SE		17	T40S	R24E		I-149-IND-8835	Active	F217	F217	Navajo Nation
F218	4303716287	SE		18	T40S	R24E			Active	F218	F218	Navajo Nation
F220	4303716288	SE	NW	20	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8836	Active	F220	F220	Navajo Nation
F224	4303716289	SE	NW	24	T40S	R24E	1980' FNL/1980' FWL	I-149-IND-8838	Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S	R24E	1950' FNL/1900' FWL	I-149-IND-8838	Active	F226	F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S	R24E	2015' FNL/1930' FWL	14-20-603-4030	P/A	F229	F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S	R24E	1825' FNL/2010' FWL	14-20-603-2059	Active	F235	F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S	R24E	1980' FNL/1980' FWL	14-20-603-5444	Active	F236	F236	Navajo Nation
F311	4303716295	NE		11	T40S			I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE		15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E	2260' FSL/2140' FWL	ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S			I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE	SW	17	T40S		500' FSL/2140' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE		20	T40S			I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE		25	T40S	R24E		I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302	SE		26	T40S			I-149-IND-8838	P/A			Navajo Nation
F434	4303716303	SE		34	T40S		815' FSL/1860' FWL	14-20-603-2056	P/A			Navajo Nation
F435	4303716304	SE		35	T40S		820' FSL/1930' FWL	14-20-603-2059	T/A			Navajo Nation
G123	4303716306	NW		23	T40S		660' FNL/1530' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307	NW		27	T40S		660' FNL/1980' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309	NW	SE	19	T40S			I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312	SE	NE	16	T40S			ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313			17				I-149-IND-8833		H217	H217	Navajo Nation
	4303716314			20				I-149-IND-8833		H220	H220	Navajo Nation
	4303716316			26				I-149-IND-8838		H226	H226	Navajo Nation
	4303716317			27				14-20-603-2056		H227	H227	Navajo Nation
	4303716318			29					Shut-In		H229	Navajo Nation
	4303716319			34		_		14-20-603-2056		H234	H234	Navajo Nation
	4303716320									H235	H235	Navajo Nation
	4303716322			7	T40S					H407	H407	Navajo Nation
	4303716323			8	T40S					H408	H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417	H417	Navajo Nation

	· · · · · · · · · · · · · · · · · · ·	,		,	,					T==	1	
H418	4303716327	SE	SE	18	T40S			I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S			I-149-IND-8836	P/A			Navajo Nation
H420	4303716329	SE	SE	20	T40S			I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S			I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S	R24E	820' FSL/610' FEL	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	710' FSL/510' FEL	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S	R25E	2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S	R25E	670' FSL/790' FEL	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E	720' FNL/1870' FWL	I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	SW	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E	790' FNL/1780' FEL	I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S	R24E	660' FNL/1980' FEL	ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW	NE	26	T40S	R24E	860' FNL/1780' FEL	I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE	NW	22	T40S			I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW	NE	22	T40S			I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S		······	I-149-IND-8837	Active	H314X	H314X	Navajo Nation

OPERATOR CHANGE WORKSHEET

1. GLH

2. CDW 3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:	12/1/2004					
FROM: (Old Operator):	TO: (New Operator):					
N0210-Chevron USA, Inc.	N2700-Resolute Natural Resources Company					
PO Box 4791	1675 Broadway, Suite 1950					
Houston, TX 77210-4791	Denver, CO 80202					
Phone: 1-(713) 752-7431	Phone: 1-(303) 534-4600					
CA No.	Unit: ANETH					

CATO: CHI. ARIEIT										
WELL(S)										
NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE	WELL	WELL		
					NO	TYPE	TYPE	STATUS		
NAVAJO FED 9-1 (ANETH E-208)	08	400S	240E	4303716284	99990	Indian	WI	A		
NAVAJO TRIBE E-13 (ANETH F-408)	08	400S	240E	4303716298	99990	Indian	WI	A		
NAVAJO A-12/23-11 (ANETH F-311)	11	400S	240E	4303716295	99990	Indian	WI	A		
NAVAJO TRIBAL E-8 (ANETH F-315)	15	400S	240E	4303716296	99990	Indian	WI	A		
NAVAJO TRIBAL G-8 (ANETH F-217)	17	400S	240E	4303716286		Indian	WI	A		
NAVAJO TRIBAL G-6 (ANETH F-417)	17	400S	240E	4303716299	99990	Indian	WI	A		
NAVAJO FED U 1 (ANETH F-218)	18	400S	240E	4303716287	99990	Indian	WI	A		
NAVAJO FED U B-1 (ANETH E-119)	19	400S	240E	4303716280	99990	Indian	WI	A		
NAVAJO TRIBE D-8 (ANETH F-220)	20	400S	240E	4303716288	99990	Indian	WI	A		
NAVAJO TRIBE D-20 (ANETH F-420)	20	400S	240E	4303716300	99990	Indian	WI	A		
NAVAJO TRIBE C-1 (ANETH G-123)	23	400S	240E	4303716306		Indian	WI	A		
NAVAJO TRIBE C-16 (ANETH F-224)	24	400S	240E	4303716289	99990	Indian	WI	A		
NAVAJO TRIBE C-32 (ANETH F-425)	25	400S	240E	4303716301	99990	Indian	WI	A		
NAVAJO TRIBE C-23 (ANETH F-226)	26	400S	240E	4303716290	99990	Indian	WI	A		
NAVAJO TRIBE C-4 (ANETH F-426)	26	400S	240E	4303716302	99990	Indian	WI	A		
ANETH 27-C-1 (ANETH G-127)	27	400S	240E	4303716307	99990	Indian	WI	A		
ANETH H-228	28	400S	240E	4303716228	99990	Indian	WI	A		
NAVAJO TRIBE S-4 (ANETH F-229)	29	400S	240E	4303716292	99990	Indian	WI	I		
ANETH 34-B-4 (ANETH F-434)	34	400S	240E	4303716303	99990	Indian	WI	A		
NAVAJO TRIBE Q-5 (ANETH F-235)	35	400S	240E	4303716293	99990	Indian	WI	A		
NAVAJO TRIBE Q-8 (ANETH F-435)	35	400S	240E	4303716304	99990	Indian	WI	A		
NAVAJO 3 (ANETH F-236)	36	400S	240E	4303716294	99990	Indian	WI	A		

OPERATOR CHANGES DOCUMENTATION

Enter date after each liste	ed item is complet	ted
-----------------------------	--------------------	-----

1.	(R649-8-10) Sundry or legal documentation was received from the FORMER operator on:	12/22/2004
2.	(R649-8-10) Sundry or legal documentation was received from the NEW operator on:	12/13/2004

2.	. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 12/13/2004										
3.	The new company was checked on the Department of Con	mmerce	, Division of Corpo	orations Database on:	11/22/2004						
4.	Is the new operator registered in the State of Utah:	YES	Business Number:	5733505-0143							
5.	If NO, the operator was contacted contacted on:		•								
6a.	(R649-9-2)Waste Management Plan has been received on:		req	uested							
6b.	. Inspections of LA PA state/fee well sites complete on:		12/20/2004								

7. Federal and Indian Lease Wells: The BLM and or the			•		ige,
or operator change for all wells listed on Federal or Indian leases	on:	BLM	not yet	BIA	not yet
8. Federal and Indian Units:					
The BLM or BIA has approved the successor of unit operator for	or wells listed on:		not yet	-	
9. Federal and Indian Communization Agreements (•				
The BLM or BIA has approved the operator for all wells listed	within a CA on:		n/a	****	
	Division has approv		•	nsfer of A	uthority to
Inject, for the enhanced/secondary recovery unit/project for the v	vater disposal well	s) listed o	n:		-
DATA ENTRY:					
1. Changes entered in the Oil and Gas Database on:	12/29/2004				
2. Changes have been entered on the Monthly Operator Change S	pread Sheet on:		12/29/200	<u>4</u>	
3. Bond information entered in RBDMS on:	3/10/27 p/a .28				
4. Fee/State wells attached to bond in RBDMS on:					
5. Injection Projects to new operator in RBDMS on:	separate list				
6. Receipt of Acceptance of Drilling Procedures for APD/New on:		n/a			
FEDERAL WELL(S) BOND VERIFICATION:					
1. Federal well(s) covered by Bond Number:	B001263				
INDIAN WELL(S) BOND VERIFICATION:					
1. Indian well(s) covered by Bond Number:	B001264				
FEE & STATE WELL(S) BOND VERIFICATION:					
1. (R649-3-1) The NEW operator of any fee well(s) listed covered by	by Bond Number		B001262	.	
2. The FORMER operator has requested a release of liability from the Division sent response by letter on:	heir bond on:	not yet	-		
LEASE INTEREST OWNER NOTIFICATION:					
3. (R649-2-10) The FORMER operator of the fee wells has been conformed of their responsibility to notify all interest owners of this change of		ed by a let	ter from the	e Division	
COMMENTS:					